




Connectors > PCB Connectors > PCB Headers & Receptacles > PowerTube HVP-HD 1400 90° Headers



Connector System: **Bus Bar-to-Wire**

Number of Positions: 1

Number of Rows: 1

Header Type: **Header & Push-Push Assembly**

Contact Mating Area Plating Material: **Silver (Ag)**

[All PowerTube HVP-HD 1400 90° Headers \(90\)](#)

Features

Product Type Features

Connector System	Bus Bar-to-Wire
Header Type	Header & Push-Push Assembly
Sealable	Yes
Connector & Contact Terminates To	Bus Bar
Connector Product Type	Connector Assembly

Configuration Features

Number of Positions	1
Number of Rows	1

Electrical Characteristics

Operating Voltage	1000 VDC
Nominal Voltage Architecture	1000 V

Body Features

--	--



Connector & Keying Code	C
Primary Product Color	Blue

Contact Features

Mating Pin Diameter	14 mm[.55 in]
Contact Mating Area Plating Material	Silver (Ag)
Contact Type	Pin

Termination Features

Termination Method to PCB	Through Hole - Screw
---------------------------	----------------------

Mechanical Attachment

Mating Alignment Type	Polarization
PCB Mount Retention	Without
PCB Mount Alignment	Without
Connector Mounting Type	Panel Mount
Mating Alignment	With

Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

IP Rating	IP6K9K
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Container
------------------	-----------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)



Candidate List Declared Against: JAN 2025
(247)

SVHC > Threshold:

Dodecamethylcyclohexasiloxane (D6) (.71%
in 27039329269)

Decamethylcyclopentasiloxane (D5) (2.41%
in 30408935353)

Octamethylcyclotetrasiloxane (D4) (.47% in
30408935353)

Article Safe Usage Statements:
Wash thoroughly after handling. Recycle if possible and dispose of the article by
following all applicable governmental regulations relevant to your geographic
location.

Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-AQ4-HFFTH1400
PowerTube HVP-HD 1400 Plug Pre-Assemblies



TE Part # 2446256-3
HD1400 PRE-ASSY SU-BEAM,NO TPA, FINGER



TE Part # 2446256-1
HD1400 PRE-ASSY,NO TPA,FINGER



TE Part # 2446256-4
HD1400 PRE-ASSY SU-BEAM,NO TPA, TOOL



TE Part # 2407804-1
COVER,SHIPPING CAP FOR HD1400 HEADR



TE Part # 2446256-2
HD1400 PRE-ASSY,NO TPA,TOOL

Also in the Series | **PowerTube HVP-HD 1400**



Automotive Connector Caps & Covers
(1)

Automotive Connector EMC Shielding
(5)

Automotive Housings(28)

Automotive Terminals(4)

Connector Caps & Covers(1)

Other Automotive Connector
Accessories(29)

PCB Headers & Receptacles(189)

Rectangular Power Connectors(189)

Documents

Product Drawings
1POS,HVP1400,ASSY,90DEG,COD C
English

CAD Files
Customer View Model
ENG_CVM_CVM_8-2399609-3_D.3d_stp.zip
English
Customer View Model
ENG_CVM_CVM_8-2399609-3_D.2d_dxf.zip
English
3D PDF
3D
Customer View Model
ENG_CVM_CVM_8-2399609-3_D.3d_igs.zip
English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages
HIVONEX CONNECTORS & CHARGING SOLUTIONS
English

Product Specifications
Application Specification
English