




Connectors > Lighting Connectors > Poke-In Connectors



Connector System: **Wire-to-Board**
Number of Positions: **2**
Centerline (Pitch): **4 mm**
Connector & Contact Terminates To: **Printed Circuit Board**
Connector Height: **4.48 mm [.176 in]**

Features

Product Type Features

Product Line	Poke-In
Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Positions	2
---------------------	---

Electrical Characteristics

Operating Voltage	400 VAC
-------------------	---------

Body Features

Primary Product Color	Natural
-----------------------	---------

Contact Features

Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin-Lead
PCB Contact Termination Area Plating Material Finish	Matte



Contact Current Rating (Max)	6 A
------------------------------	-----

Termination Features

Termination Method to PCB	Surface Mount
---------------------------	---------------

Mechanical Attachment

Connector Mounting Type	Board Mount
-------------------------	-------------

Housing Features

Centerline (Pitch)	4 mm
--------------------	------

Dimensions

Compatible Insulation Diameter Range	2.1 mm
Connector Height	4.48 mm [.176 in]
Wire Size	18 – 22 AWG

Industry Standards

Compatible With Agency/Standards Products	UL
UL Flammability Rating	UL 94V-0
Compatible With Approved Standards Products	UL 1977, UL E28476

Packaging Features

Packaging Method	Tape & Reel
------------------	-------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

















EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 245°C

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 2213804-1 LUMAWISE LED HOLDER Z50 LOW PROFILE 2024	 TE Part # 1811027-2 ASSEMBLY,18AWG TAP	 TE Part # 1-2154857-2 Socket, SCALABLE LED, 2PC, Tin	 TE Part # 2154235-1 Socket, Solderless LED,Type LS w/o Latch
 TE Part # 2213580-2 LUMAWISE LED HOLDER Z50 STD PROFILE 1924	 TE Part # 2213258-1 LUMAWISE LED HOLDER Z50 LOW PROFILE 2121	 TE Part # 1-2213678-6 Z35 MINI LED HOLDER 13.5*13.5 CSK NO TAP	 TE Part # 2213718-1 LUMAWISE LED HOLDER, TYPE LUMIPACK N1
 TE Part # 2213804-2 LUMAWISE LED HOLDER Z50 STA PROFILE 2024	 TE Part # 2-2834049-2 REC MOD, 2P LATCHED POKE-IN WTW CONN.B+R	 TE Part # 1217825-1 FLUORESCENT TUBE SOCKET TERMINAL	 TE Part # 1-2154857-3 Socket, SCALABLE LED, 2PC, Tin
 TE Part # 2154235-2 Socket, Solderless LED, Type LS w /Latch	 TE Part # 2134446-1 LUMAWISE LED HOLDER, TYPE LUMISPRING N1	 TE Part # 2134318-1 LUMAWISE LED HOLDER, TYPE LUMIPACK N1	 TE Part # 2213580-1 LUMAWISE LED HOLDER Z50 LOW PROFILE 1924



TE Part # 2213258-2
LUMAWISE LED HOLDER Z50 STD
PROFILE 2121



TE Part # 2213480-1
LUMAWISE Z50 HOLDER 2828
GENERAL




TE Part # 2-2154857-2
Socket, SCALABLE LED, 2PC, Gold, w
/TS



TE Part # 2106154-1
Assem, Jumper, Board to Board,
Screw Dow

Also in the Series | BUCHANAN WireMate Poke-In



Poke-In Connectors(12)

Customers Also Bought



TE Part #6-2834006-1
1P RELEASE POKE-IN
CONNECTOR_BLUE



TE Part #1-2834006-2
RELEASE POKE-IN
CONNECTOR_2POLES



TE Part #1-2328702-0
10PIN 0.5MMP FPC CONN, BACK
FLIP LOCK



TE Part #1623169-1
CRG0805 1% 270R



TE Part #2-2834006-0
2P RELEASE POKE-IN
CONNECTOR_BN/YW



TE Part #292304-1
STD USB TYPE B, R/A, T/H



TE Part #292250-4
CT P/HDR BOX H ASSY 4P W/KINK



TE Part #2337992-5
RJ45 JACK MAG. POE 1GB LED 1X1
INV.



TE Part #233230-E
STVH11 11 M B V 3-00 LA * B047 199 E
016



TE Part #5-146254-1
02 MODII HDR DRST B/A .100CL



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_8-2834006-2_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_8-2834006-2_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_8-2834006-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Modular Releasable Poke-in datasheet

English

BUCHANAN WireMate Connectors Brochure

BUCHANAN WireMate Connectors Brochure

English

Modular Releasable Poke-in datasheet (Chinese)

Product Specifications

Application Specification

English

Agency Approvals

UL

English