



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Flange Seal**
Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**
Primary Product Color: **Black**
Operating Temperature (Max): **105 °C [221 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Flange Seal
----------------------------	-------------

Body Features

Primary Product Color	Black
-----------------------	-------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operating Temperature (Max)	105 °C[221 °F]

Packaging Features

Packaging Method	Box
Packaging Quantity	1000

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>






Compatible Parts

 TE Part # 213851-1 CPC PLUG ASSEMBLY SIZE 23-24	 TE Part # 796288-1 PLUG.ASSY,23-37STD SEX THRD AD	 TE Part # 796291-1 SEALED CPC,SER1,23-24,FR RCPT	 TE Part # 213853-1 CPC PLUG ASSEMBLY SIZE 23-19
 TE Part # 206838-3 CPC RECPT SEALED SIZE 23-24	 TE Part # 211770-2 CPC PLUG ASSEMBLY SIZE 23-19	 TE Part # 206151-3 CPC RECPT SEALED SIZE 23-37	 TE Part # 796188-1 SLD CPC PLUG ASSY,23-24,STD SX




 TE Part # 206306-3 CPC RECPT SEALED SIZE 23-37	 TE Part # 206838-4 CPC RECPT SEALED SIZE 23-24	 TE Part # 211772-1 CPC PLUG ASSEMBLY SIZE 23-19	 TE Part # 213852-1 CPC PLUG ASSEMBLY SIZE 23-19
 TE Part # 206305-1 CPC PLUG ASSEMBLY SIZE 23-37	 TE Part # 206306-4 CPC RECPT SEALED SIZE 23-37	 TE Part # 1977886-1 RCPT.ASSY,23-37STD SEX FREE HG, UV RESIS	 TE Part # 1977887-1 PLUG.ASSY,23-37STD SEX THRD AD, UV RESIS
 TE Part # 796190-1 SLD CPC RCPT ASSY,23-24,STD SX	 TE Part # 796287-1 RCPT.ASSY,23-37STD SEX FREE HG	 TE Part # 213848-1 CPC PLUG ASSEMBLY SIZE 23-37	 TE Part # 206837-1 CPC PLUG ASSEMBLY SIZE 23-24


Also in the Series | AMP Circular Plastic Connectors

 Circular Connector Backshells & Clamps(1)	 Circular Power Connectors(423)	 Connector Contacts(6)	 Connector Hardware(10)
 Power Contacts(6)	 Sealing Sleeves(2)		

Customers Also Bought



TE Part #796288-1
[PLUG.ASSY,23-37STD SEX THRD AD](#)




TE Part #796075-1
[NGC SEALING PLUG](#)




TE Part #103906-1
[02 MTE HDR SRRA LATCH .100CL](#)



TE Part #1-66360-3
[III+ SKT,18-14,TIN,SMPACK](#)



TE Part #54012-1
[CPC STRAIN RELIEF,SIZE 23](#)



TE Part #7-1437166-1
[FSP-22A-6](#)



TE Part #1-2273005-1
[M8 x 1.0 straight socket Pigtail Shld](#)



TE Part #1-66359-9
[III+PIN,18-14,TIN,STRIP](#)



TE Part #788188-2
[CPC 17-3 PLUG ASY,REV SEX](#)



TE Part #5054232025
[RNF-100-1/2-8-STK](#)

Documents

[Product Drawings](#)
[ECONOSEAL, FLANGE GASKET](#)
English

[CAD Files](#)
[3D PDF](#)
English
Customer View Model
[ENG_CVM_81665-5_C.2d_dxf.zip](#)
English
Customer View Model
[ENG_CVM_81665-5_C.3d_igs.zip](#)
English
Customer View Model
[ENG_CVM_81665-5_C.3d_stp.zip](#)
English
[3D PDF](#)
3D



Customer View Model

[ENG_CVM_CVM_81665-5_E.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_81665-5_E.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_81665-5_E.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMP Circular Connectors for Commercial Signal & Power Applications](#)

English

Product Specifications

[Application Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English