



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Operating Temperature Range: -35 – 125 °C [-31 – 257 °F]

Primary Product Color: **Brown**

Primary Product Material: **Silicone**

Operating Temperature (Max): 125 °C [257 °F]

Contains Lubricant: **No**

Features

Body Features

Primary Product Color	Brown
Primary Product Material	Silicone

Usage Conditions

Operating Temperature Range	-35 – 125 °C[-31 – 257 °F]
Operating Temperature (Max)	125 °C[257 °F]

Packaging Features

Packaging Method	Package
Packaging Quantity	5000

Other

Contains Lubricant	No
--------------------	----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1394081-1
1,5/2,5MM BU-GEH31P



TE Part # CAT-AM705-T273
AMP MCP, RECEPTACLE AND TAB



TE Part # 1743632-2
HYB SLD 36P PLUG ASSY



TE Part # 1-1743632-2
HYB SLD 36P PLUG ASSY

Also in the Series | Round Connector System



Automotive Connector Caps & Covers
(5)



Automotive Housings(12)



Automotive Terminals(47)



Connector Seals & Cavity Plugs(5)




DIN Connectors(3)



Insertion & Extraction Tools(8)

Customers Also Bought



TE Part #2208829-1
RETAINER, FOR MCON1.2 CB



TE Part #1-968859-1
AMP MCP 2.8, CONTACT SWS



TE Part #368135-6
040/070 HYB 22P PLUG HSG GRAY



TE Part #2368022-1
1PORT,GEMNET,SOC HSG ASSY, 180DEG,COD A




TE Part #2394145-1
Matenet inline 1p with clip, cod A




TE Part #2286476-1
BLIND PLUG,MCON 1.2 CB



TE Part #2370473-1
MATENET 2x2PORT frame, CODE A



TE Part #2005392-1
025/090/110 HYB 18P PLUG ASSY



TE Part #963768-2
TAB 9.5x1.2 CONTACT CF SRC Sn



TE Part #279328-1
MOTOR TERMINAL II

Documents

Product Drawings
DICHT-STOPFEN

English

CAD Files
3D PDF

3D

Customer View Model
ENG_CVM_CVM_828986-1_E.2d_dxf.zip



English

Customer View Model
[ENG_CVM_CVM_828986-1_E.3d_igs.zip](#)

English

Customer View Model
[ENG_CVM_CVM_828986-1_E.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

CONNECTOR SELECTOR

English

Product Specifications

Product Specification

English

4 Pos. 2.5 mm Dia. System Contact Female & Male Connector

English