

MEAS | MEAS 85 TE Internal #: 85-030A-0U TE Internal Description: 30 PSIA WELDABLE PRESSURE SENSOR Pressure Sensor, MV Output, 13 mm

View on TE.com >

Sensors > Pressure Sensors > Media Isolated Pressure Sensors > Pressure Sensor, MV Output, 13 mm



Pressure Sensor Type: mV Output Pressure Sensors

Pressure Type: Absolute

Output Signal Type: 100mV

Operating Temperature Range: -40 – 125 °C [-40 – 257 °F]

Port Fitting: Weldable (5/16-32 UNEF-3A Thread)

All Pressure Sensor, MV Output, 13 mm (4)

Features

Product Type Features

Pressure Sensor Type

Pressure Type

mV Output Pressure Sensors

Absolute



Pressure Type	Absolute								
Sensor Package	Threaded Process Fittings, Weldable								
Configuration Features									
Electrical Connection	Wire Leads								
Electrical Characteristics									
Supply Current	1.5 mA								
Dimensions									
Product Diameter	15.85 mm[.624 in]								
Product Height	9.3 mm[.366 in]								
Usage Conditions									
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]								
Operation/Application									
Proof Pressure Range	3X								
Output Signal Type	100mV								
Other									

C For support call+1 800 522 6752

30 PSIA WELDABLE PRESSURE SENSOR



Port Fitting

.1 %

Weldable (5/16-32 UNEF-3A Thread)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | MEAS 85

C For support call+1 800 522 6752


04/14/2025 09:08PM | Page 2

30 PSIA WELDABLE PRESSURE SENSOR





Customers Also Bought



08P MINI UMNL PLUG HSG	NISO,NO FIT,UNCOMP,TUBE	NISO,NO FIT,UNCOMP	NISO,1/4NPT,5/8HEX,UNCOMP,TUBE
TE Part #85-030G-0UT	TE Part #85-300G-1UT		
NISO,NO FIT,UNCOMP,TUBE	NISO,1/4NPT,7/8HEX,UNCOMP,TUBE		

TE Part #85-100A-0U

TE Part #85-100G-4UT

TE Part #85-300G-0UT

Documents

TE Part #770579-1

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_85-030A-0U_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_85-030A-0U_D.3d_igs.zip

85-030A-0U

30 PSIA WELDABLE PRESSURE SENSOR



English

Customer View Model ENG_CVM_CVM_85-030A-0U_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

85U

English