



Connectors > Power Connectors > Circular Power > Circular Power Connectors



Number of Positions: 6
Connector Product Type: **Lead Assembly**
Operating Voltage: **27000 VDC**
Connector System: **Wire-to-Panel**
Sealable: **No**

Features

Product Type Features

Connector Product Type	Lead Assembly
Connector System	Wire-to-Panel
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Receptacle

Configuration Features

Number of Positions	6
---------------------	---

Electrical Characteristics

Operating Voltage	27000 VDC
-------------------	-----------

Body Features

Positive Stop Ferrule	Without
-----------------------	---------

Contact Features

Contact Type	Socket
--------------	--------

Mechanical Attachment

Panel Mount Feature Type	Flange
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Panel Mount



Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
-----------------------------	----------------------------

Operation/Application

Shielded	No
----------	----

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Pb (3.7% in Contact/Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Customers Also Bought



TE Part #2367982-1
2MM HM FEMALE ASSY, COL8



TE Part #6-2176371-3
RQ 0603 20K5 0.1% 10PPM 5K RL



TE Part #1-1879642-5
H8 100R 0.1% 10PPM



TE Part #2336568-1
RECEPT ASSY, RA, 168 POS, SLIVER 2.0



TE Part #38941-16L
CONT PIN



TE Part #859474-5
LGH-1 MLD END LEAD ASSY



TE Part #859474-4
LGH-1 MLD END LEAD ASY



TE Part #5-1462039-8
IM02PNS=IM RELAY 140mW 4.5V



TE Part #1614885-5
CPF 0805 82K 0.1% 25PPM 1K RL



TE Part #5532903-2
ASSY,RECPT,R.ANGLE,HDI,LEAD-FR

Documents

Product Drawings
LGH RECEPT., FLANGED, H.V.

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_859527-1_R.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_859527-1_R.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_859527-1_R.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets



Instruction Sheet (U.S.)

English