

## MEAS | MEAS 86

TE Internal #: 86-030A-C

TE Internal Description: 30 PSIA CABLE CONN MV PRESSURE

SENSOR

View on TE.com >



Sensors > Pressure Sensors > Media Isolated Pressure Sensors



Pressure Sensor Type: mV Output Pressure Sensors

Pressure Type: Absolute
Output Signal Type: 100mV

Operating Temperature Range: -40 - 125 °C [-40 - 257 °F]

Sensor Package: O-Ring Mount

## **Features**

#### **Product Type Features**

Product Type Features	
Pressure Sensor Type	mV Output Pressure Sensors
Pressure Type	Absolute
Sensor Package	O-Ring Mount
Configuration Features	
Electrical Connection	6" Ribbon Cable with Connector
Electrical Characteristics	
Supply Current	1.5 mA
Dimensions	
Product Diameter	15.82 mm[.622 in]
Product Height	11.4 mm[.448 in]
Usage Conditions	
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Operation/Application	
Proof Pressure Range	3X

100mV

.1 %

Other

Output Signal Type

Non-Linearity ±



Sensor Options No Tube

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)  Candidate List Declared Against: JAN 2025 (247)  SVHC > Threshold:  Methanone, (diphenylphosphinyl)(2,4,6-trimethylphenyl)- (1% in Component Part)  Article Safe Usage Statements:  Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


## Compatible Parts





Also in the Series | MEAS 86





# Customers Also Bought





















## **Documents**

## **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_86-030A-C\_G1.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_86-030A-C\_G1.3d\_igs.zip



English

**Customer View Model** 

ENG\_CVM\_CVM\_86-030A-C\_G1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

86C

English