

### Kilovac | Kilovac LEV200

TE Internal #: 9-1618384-6

High Voltage Contactor, DC, 1 Form X SPST-NO-DM, 500 A Contact Rating, 115 VDC Coil Voltage, 12 – 900 VDC Contact

Voltage, Kilovac LEV200

View on TE.com >



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: High Voltage Contactor

Current Type: DC

Contact Arrangement: 1 Form X SPST-NO-DM

Contact Current Rating: 500 A
Coil Voltage Rating: 115 VDC

## **Features**

# **Product Type Features**

Relay & Contactor Type	High Voltage Contactor
Configuration Features	
Relay Options	Power Switching
Contact Arrangement	1 Form X SPST-NO-DM
Electrical Characteristics	
Coil Resistance	1008.3 Ω
Contact Switching Voltage (Max)	900 VDC
Contact Current Rating	500 A
Coil Voltage Rating	115 VDC
Contact Voltage Rating	12 – 900 VDC

# **Contact Features**

Contact Material	Copper	

### **Termination Features**

Main Termination & Connection Type	Stud Terminals
Coil Termination & Connection Type	Flying Leads

#### Mechanical Attachment

Product Mounting Feature Type	Flange with Mounting Holes
Product Mount Type	Chassis Mount



#### **Operation/Application**

Current Type DC
-----------------

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



TE Part # 8-1618404-1 LEV200AKNAF=RELAY, SPST-NO 72VDC



TE Part # 9-1618387-5 LEV200HOANA01=RELAY, SPST-NO

# Also in the Series



# Customers Also Bought





















### **Documents**

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_9-1618384-6\_C.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_9-1618384-6\_C.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_9-1618384-6\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

5-1773450-5\_sec7\_LEV200

English

High Voltage Contactor, DC, 1 Form X SPST-NO-DM, 500 A Contact Rating, 115 VDC Coil Voltage, 12 – 900 VDC Contact Voltage, Kilovac LEV200



Agency Approvals
CE Declaration of Conformity

English