



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Receptacle**
Connector & Housing Type: **Receptacle**
Number of Positions: **3**
Terminal Orientation: **Straight**
Primary Product Color: **Black**

Features

Product Type Features

Sealable	No
Connector & Housing Type	Receptacle

Configuration Features

Number of Positions	3
---------------------	---

Body Features

Primary Product Color	Black
-----------------------	-------

Contact Features

Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Mating Retention	Without

Mechanical Attachment

Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)



Housing Features

Housing Material	Polyamide
Centerline (Pitch)	5 mm[.196 in]

Dimensions

Product Length	18 mm[.708 in]
----------------	----------------

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Quantity	6000
--------------------	------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 180941-5
FF 250 REC HSG 3P NYLON BLACK



TE Part # 626056-4
FASTIN-ON .110 HOUSING REC PRETO/BLACK




TE Part # 925306-3
FF 312 REC HSG 3P NYLON BLACK




TE Part # 925015
FF 110 REC HSG 3P NYLON NAT




TE Part # 1-1579007-4
EXTRACTION TOOL



TE Part # 150653-1
FF 312 REC HSG 3P NYLON BLACK




TE Part # 626056-5
FASTIN-ON .110 HOUSING RECEPTACLE RED




TE Part # 925176-5
FF 312 3P HOUSING REC POLYAMID 6.6 BLACK




TE Part # 160655-2
FASTON 110 REC 20-15 AWG PTPB



TE Part # 1982859-1
FASTON HOUSING



TE Part # 626056
FASTIN-ON 110 HOUSING REC PA66 NATURAL




TE Part # 626057-1
FASTIN-ON .110 HOUSING TAB NYLON 6/6




TE Part # 180913
FF 250 REC HSG 3P NYLON NAT


Also in the Series | **FASTIN-FASTON 110**



Automotive Housings(6)



Automotive Terminals(5)



Crimp Terminal Housings(34)



Insertion & Extraction Tools(3)



[Quick Disconnects\(78\)](#)

Customers Also Bought




TE Part #63896-1
[250 FASTON REC 16-12 AWG BR](#)



TE Part #160655-6
[FF 110 REC 20-15 AWG TPBR](#)



TE Part #42510-1
[250 FASTON REC 22-18 AWG BR](#)



TE Part #925475-1
[FF 110 REC HSG 3P NYLON NAT](#)



TE Part #170801-4
[FF 110 REC HSG 4P NYLON NATURAL](#)




TE Part #1871415-1
[AMPSEAL16,CAP ASSY,8P-A,B/R TYPE, RWDS,](#)




TE Part #42400-1
[250 FASTON REC 18-14 AWG BR](#)



TE Part #1062-20-0322
[SOC, SF, SIZE 20, 16-22, SLEVLESS, NI /NI](#)



TE Part #170015-1
[FF 110 REC 20-16AWG BR](#)



TE Part #776181-1
[0.040 MULTILOCK RCPT](#)

Documents

Product Drawings

[FF 110 REC HSG 3P NYLON BLACK](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_925015-1_E.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_925015-1_E.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_925015-1_E.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[White Paper: Nylon Discoloration](#)

English

Product Specifications

[Application Specification](#)

English

Agency Approvals

[UL Report](#)

English