
925856-2 - ACTIVE

TE Internal #: 925856-2 Pin, 1.6 mm [.063 in] Pin Diameter, 15 – 13 AWG, 1.5 – 2.5 mm² Wire, 3256 – 5178 CMA, Open Barrel, Unplated Plating, 7 mm [.275 in] Length, Reel

View on TE.com >



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: Pin

Mating Pin Diameter: 1.6 mm [.063 in]

Wire Size: **3256 – 5178 CMA**

Features

Product Type Features

Compatible With Discrete Wire Type

Stranded

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Contact Features	
Crimp Wire Terminal Type	Pin
Mating Pin Diameter	1.6 mm[.063 in]
Barrel Type	Open
Terminal Plating Material	Unplated
Terminal Orientation	Straight
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
Wire Size	3256 – 5178 CMA
Barrel Inside Diameter	.8 mm[.032 in]
Terminal Material Thickness	.25 mm[.01 in]
Overall Product Length	7 mm[.275 in]

C For support call+1 800 522 6752

925856-2

Pin, 1.6 mm [.063 in] Pin Diameter, 15 – 13 AWG, 1.5 – 2.5 mm² Wire, 3256 – 5178 CMA, Open Barrel, Unplated Plating, 7 mm [.275 in] Length, Reel



Usage Conditions

Insulation Option	Uninsulated
Packaging Features	
Packaging Quantity	30000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC		
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free		

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

925856-2

Pin, 1.6 mm [.063 in] Pin Diameter, 15 – 13 AWG, 1.5 – 2.5 mm² Wire, 3256 – 5178 CMA, Open Barrel, Unplated Plating, 7 mm [.275 in] Length, Reel





Customers Also Bought



10P RCPT VAL-U-LOK V0	AM WIRE PIN 17-13 .013 BR	MICRO QUADLOK SYSTEM PIN	NECTOR S RING CLIP BLACK
		CONTA	



Documents

Product Drawings WIRE PIN 15.5-13.5 AWG .01 BR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_925856-2_D.2d_dxf.zip

925856-2

Pin, 1.6 mm [.063 in] Pin Diameter, 15 – 13 AWG, 1.5 – 2.5 mm² Wire, 3256 – 5178 CMA, Open Barrel, Unplated Plating, 7 mm [.275 in] Length, Reel



English

Customer View Model ENG_CVM_CVM_925856-2_D.3d_igs.zip English

Customer View Model ENG_CVM_CVM_925856-2_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.