



Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: **Housing**
Connector & Housing Type: **Plug**
Termination Method to Wire & Cable: **Crimp**
Connector System: **Wire-to-Wire**
Contact Retention Within Housing: **Without**

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Plug
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	5
Number of Rows	1

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Body Features

Primary Product Color	Natural
-----------------------	---------

Contact Features

Multiple Contact Types	Without
------------------------	---------



Contact Layout	Inline
Contact Type	Socket
Contact Retention Within Housing	Without

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Panel Mount Feature	Without
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	Nylon
Centerline (Pitch)	6.35 mm[.25 in]

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

Compatible With Agency/Standards Products	CSA, UL, VDE
UL Rating	Recognized
Compatible With Approved Standards Products	UL E28476
CSA Rating	Certified, LR 7189
Glow Wire Rating	Standard Part - Not Glow Wire
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	



Current ECHA Candidate List: JAN 2025
(247)
Candidate List Declared Against: JAN 2025
(247)
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 926300-3
6P UN-MNL STECKGEH



TE Part # 350810-2
05P UMNL CAP HSG




TE Part # 480764-9
05P UMNL CAP HSG BLK



TE Part # 926301-1
8P UNIV.M-N-L.PLUG



TE Part # 926301-3
8P UN-MNL STECKGEH



TE Part # 1-1703061-2
PLUG, 2 CIRCUIT , UNIVERSAL MATE-N-LOK



TE Part # 1-480764-0
05P UMNL CAP HSG NATL



TE Part # 926300-1
6P UNIV.M-N-L.PLUG





TE Part # 926306-5
UMNL 5 WAY CAP HSG




TE Part # 350720-4
09P UMNL PLUG HSG UL94VO



TE Part # 1-350779-9
04P UMNL V0 PLUG HSG BLACK



TE Part # 350779-4
04P UMNL PLUG HSG UL94VO



TE Part # 350777-4
02P UMNL PLUG HSG UL94VO



TE Part # 350810-1
05P UMNL CAP HSG



TE Part # 350779-1
04P UMNL PLUG HSG



TE Part # 926299-5
UNML PLUG 5WAY



TE Part # 926299-1
5P UNIV.M-N-L.PLUG

Also in the Series | Universal MATE-N-LOK



Circular Power Connectors(2)



Connector Contacts(208)



Connector Hardware(12)



Power Contacts(208)



Rectangular Power Connectors(651)



Standard Circular Connectors(1)

Customers Also Bought



TE Part #103309-1
010 LOPRO HDR SP 30DP



TE Part #1623140-1
CRG0805 1% 1K8




TE Part #1622279-1
LR0204 1% 7K5



TE Part #1-2176163-3
UPF50 0.1% 5PPM 350R




TE Part #5-1622820-7
3520 680R 5%



TE Part #5-104505-2
MTE PIN 22-26 AWG PLTD



TE Part #172337-1
MINI UMNL PLUG HOUSING 3P



TE Part #104479-9
SHORT POINT CONT 15 DPLX STMPD LF



TE Part #1-2176345-4
CRGCQ 1210 120R 1%



TE Part #1241150-8
8P MOD II BREAK AWAY HDR , SMD, BLISTER

Documents

Product Drawings
5P UN-MNL STECKGEH

English

CAD Files
3D PDF

3D

Customer View Model
ENG_CVM_CVM_926299-3_G_c-926299-3-g.2d_dxf.zip

English

Customer View Model
ENG_CVM_CVM_926299-3_G_c-926299-3-g.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_926299-3_G_c-926299-3-g.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications



Application Specification

German

Agency Approvals

UL

English