




Connectors > Connector Accessories > Connector Hardware



Connector Hardware Accessory Type: **Retention Plug**

Primary Product Color: **Black**

Primary Product Material: **Polycarbonate GF**

Operating Temperature (Max): **105 °C [221 °F]**

Operating Temperature Range: **-65 – 105 °C [-85 – 221 °F]**

Features

Product Type Features

Connector Hardware Accessory Type	Retention Plug
Hardware Accessory Function	Latching, Locking & Retention

Body Features

Primary Product Color	Black
Primary Product Material	Polycarbonate GF

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]

Industry Standards

Glow Wire Rating	Standard Part - Not Glow Wire
------------------	-------------------------------

Packaging Features

Packaging Method	Box
Packaging Quantity	1000

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2025 (247)
Candidate List Declared Against: JAN 2025 (247)
SVHC > Threshold:
1-BUTANESULFONIC ACID,
1,1,2,2,3,3,4,4,4-NONAFLUORO-,
POTASSIUM SALT (1:1) (.2% in 10565203517)

Article Safe Usage Statements:
Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1-926475-3 MOD 4 HSG	TE Part # 1-926476-7 MOD 4 HSG	TE Part # 926475-3 03P MODU 4 HSG.S.R.	TE Part # 926476-8 MOD 4 HSG
TE Part # 2-926476-0 MOD 4 HSG	TE Part # 1-926476-2 MOD 4 HSG	TE Part # 926475-5 MOD 4 HSG	TE Part # 1-926475-2 MOD 4 HSG



TE Part # 1-926475-6
MOD 4 HSG



TE Part # 1-926475-0
MOD 4 HSG



TE Part # 1-926476-4
MOD 4 HSG



TE Part # 926475-6
MOD IV HSG SR 6 POS



TE Part # 926476-5
MOD 4 HSG



TE Part # 926476-6
MOD 4 HSG



TE Part # 926476-9
MOD 4 HSG



TE Part # 926476-3
MOD 4 HSG



TE Part # 926476-4
2X4P MODU 4 HSG.



TE Part # 3-926475-6
36P AMP MODU 4 HSG




TE Part # 2-926476-5
MOD 4 HSG



TE Part # 1-926476-3
MOD 4 HSG

Also in the Series | [AMPMODU IV/V](#)



Board-to-Board Headers & Receptacles(517)



Connector Caps & Covers(11)



Connector Contacts(270)




Connector Hardware(10)



Power Contacts(206)



Rectangular Connector Housings(5)



Standard Rectangular Connectors(8)



Wire-to-Board Connector Assemblies & Housings(393)

Customers Also Bought



TE Part #141708-1
MOD-4 REC.CONT.SCP.

TE Part #2-178128-2
DYNAMIC 3200 REC HSG 2P SGL Y

TE Part #5-104363-1
02 MTE HDR SRST LATCH .100CL

TE Part #172337-1
MINI UMNL PLUG HOUSING 3P

TE Part #104257-8
09 MTE RCPT HSG SR LATCH .100

TE Part #103648-4
05 MTE RCPT HSG SR RIB .100CL

TE Part #926475-4
MOD 4 HSG

TE Part #926475-5
MOD 4 HSG

TE Part #1-917511-5
DYNAMIC D-3 REC CONT. 2L PRE-TIN L/P

TE Part #968074-2
MPQ2,8 Sn rec LL unseal. >0,5-1,0

Documents

Product Drawings
RETENTION FORK

English

CAD Files

Customer View Model

ENG_CVM_926478-1_1.3d_igs.zip

English

Customer View Model

ENG_CVM_926478-1_1.3d_stp.zip

English

Customer View Model

ENG_CVM_926478-1_1.2d_dxf.zip

English

3D PDF

English

3D PDF

3D

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Product Specifications

Product Specification

English