




Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Locks & Position Assurance



Primary Product Color: **Yellow**
Primary Product Material: **PA GF**
Operating Temperature Range: **-40 – 100 °C [-40 – 212 °F]**

Features

Product Type Features

Sealable	No
----------	----

Body Features

Primary Product Color	Yellow
Primary Product Material	PA GF

Usage Conditions

Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Method	Carton
------------------	--------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-T4827-CH8172
Timer Connector Housing




TE Part # 881566-1
8P JR. TIMER HSG.

Also in the Series | Junior Power Timer




Automotive Connector Caps & Covers (12)



Automotive Connector Locks & Position Assurance(15)



Automotive Housings(188)



Automotive Terminals(110)




Busbars & Terminals(1)



Connector Seals & Cavity Plugs(36)



Insertion & Extraction Tools(18)



Module Components(1)




Other Automotive Connector Accessories(1)



Special Purpose Terminals(2)


Also in the Series | Timer Connector System



Automotive Connector Locks & Position Assurance(15)




Automotive Headers(19)



Automotive Housings(188)



Connector Seals & Cavity Plugs(36)




Crimp Terminal Housings(13)



Insertion & Extraction Tools(18)




Other Automotive Connector Accessories(1)



PCB Headers & Receptacles(19)



Rectangular Power Connectors(2)



Wire-to-Board Headers & Receptacles (19)



Customers Also Bought

TE Part #85222-1
E-J MK-II(+) 15P CAP DBL

TE Part #2332444-1
DT04-3P-EP10-120,RECEPTACLE ASM-BLACK

TE Part #CAT-T4827-CH8172
Timer Connector Housing

TE Part #175095-1
070 SERIES REC CONTACT 20-16

TE Part #368301-1
E-S MK-2(+) 15P CAP HSG BLACK

TE Part #1355289-1
MCP9,5BU-GEH2P,SW

TE Part #2307646-1
TPA TAB HSG,8POS,ECONOSEAL

TE Part #2307642-1
8POS,ECONOSEAL,REC HSG ASSY,SLD

Documents

Product Drawings
2 KONTAKTSICHERUNG
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_928542-1_A1.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_928542-1_A1.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_928542-1_A1.3d_stp.zip
English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages
Data Sheet
English