




SPLICE

TE Internal #: 928782-2
Tab, 2.4 mm [.094 in] Tab Width, .6 mm [.023 in] Tab Thickness, 17 – 13 AWG, 1 – 2.5 mm² Wire, 2000 – 5200 CMA, Open Barrel, Tin Plating, SPLICE

[View on TE.com >](#)

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: **Tab**
Mating Tab Width: **2.4 mm [.094 in]**
Mating Tab Thickness: **.6 mm [.023 in]**
Compatible Insulation Diameter Range: **3.1 mm [.122 in]**
Wire Size: **17 – 13 AWG**

Features

Product Type Features

Compatible With Discrete Wire Type	Solid, Stranded
------------------------------------	-----------------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Crimp Wire Terminal Type	Tab
Mating Tab Width	2.4 mm[.094 in]
Mating Tab Thickness	.6 mm[.023 in]
Barrel Type	Open
Terminal Plating Material	Tin
Terminal Orientation	Straight

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

--	--



Compatible Insulation Diameter Range	3.1 mm[.122 in]
Wire Size	2000 – 5200 CMA
Barrel Inside Diameter	1.8 mm, 2.45 mm[.07 in][.096 in]
Terminal Material Thickness	.6 mm[.023 in]
Overall Product Length	10.76 mm[.423 in]

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Packaging Features

Packaging Method	Reel
------------------	------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





KIT

REPRESENTATION ONLY

TE Part # 7-2266355-7

[OCEAN_2.0_SPARE_PART_KIT-130F180F](#)



TE Part # 2266355-2

[OCEAN-2.0-APPLICATOR-S-130F180FA-SSA](#)

Also in the Series | **SPLICE**



[Crimp Wire Pins, Tabs & Ferrules\(1\)](#)



[Splices\(63\)](#)

Customers Also Bought



TE Part #2112323-1

[SINGLE WIRE SEAL,MT 2,VT](#)




TE Part #2-1633129-2

[ANVIL, COMBINATION .062](#)



TE Part #2-1703498-1

[2POS, MCON 1.2 LL TAB SEALED COD B](#)



TE Part #345807-1

[ECONO CONT. TAB](#)




TE Part #CAT-M8793-CH8172

[MQS, CONNECTOR HOUSING](#)



TE Part #343445-2

[AMP-IN MINI \(SPECIAL\) 18.5-14 AWG](#)



TE Part #1326030-7

[2.8MM RECP,UNSEAL,14-16AWG,REV](#)



TE Part #7-568176-0

[CRIMPER, WIRE \(.050" 'F'\)](#)



TE Part #963728-1

[MQS PIN CONTACT SWS](#)



Documents

Product Drawings

SOLDER CONTACT 17-13 0.6MM TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_928782-2_H.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_928782-2_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_928782-2_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English