



Terminals & Splices > Automotive Terminals > ROUND CONNECTOR SYSTEM, PIN AND SOCKET



Terminal Type: **Socket**
Wire Size: **20 – 17 AWG**
Interface Plating: **Tin (Sn)**
Primary Locking Feature: **Locking Lance**

All ROUND CONNECTOR SYSTEM, PIN AND SOCKET (46)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Locking Lance
Sealable	No

Contact Features

Typical Current Rating	40 A
Crimp Type	F-Crimp
Contact Size	2.5mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Socket
Interface Plating	Tin (Sn)
Mating Pin Diameter	2.5 mm[.098 in]

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------



Product Terminates To

Wire

Dimensions

Compatible Insulation Diameter Range	1.4 – 2.1 mm[.055 – .083 in]
Wire Size	20 – 17 AWG
Wire Size Search	.5 mm², .6 mm², .75 mm², 1 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	125 °C[212 °F]
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	3200

Other

Terminal Transmits	25 – 40 A (Power)
--------------------	-------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent



chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 2266254-2 OCEAN-2.0-APPLICATOR-S-080F100O-RSA	 TE Part # 7-2837603-7 TOOLING KIT TO MAKE LOOSE PIECE TERMINAL	 TE Part # 964197-1 AM RINGZUNGE MIF	 TE Part # 2266254-1 OCEAN-2.0-APPLICATOR-S-080F100O-RSM
 TE Part # 7-2266254-7 OCEAN_2.0_SPARE_PART_KIT-080F100O	 TE Part # 2-1579024-5 HAND TOOL 2,5 MM DIA. CONTACTS 0,5-1,0	 TE Part # 2837603-1 APPLICATOR TO MAKE LOOSE PC TERMINAL-RSM	 TE Part # 2837603-2 APPLICATOR TO MAKE LOOSE PC TERMINAL-RSA
 TE Part # 1-1579007-8 EXTRACTION TOOL	 TE Part # 1703021-1 DIA 2.5MM CONTACT WITH WELDING FLAG	 TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp	

Also in the Series | Round Connector System

 Automotive Connector Caps & Covers (5)	 Automotive Housings(12)	 Automotive Terminals(47)	 Connector Seals & Cavity Plugs(5)
---	---	---	--



DIN Connectors(3)



Insertion & Extraction Tools(8)

Customers Also Bought



TE Part #CAT-N54-PPRHU222
PicoMQS, 2-22 POS REC HSG,
Unsealed



TE Part #2-2287720-1
PICO MQS,TERMINAL



TE Part #4-929080-5
2POS MQS REC COD D




TE Part #CAT-R7602-T273
ROUND CONNECTOR SYSTEM, PIN
AND SOCKET



TE Part #1241964-6
STD TIM HOUSING 6P



TE Part #1-880298-1
2 WAY FASTIN-ON RECEP HOUSING



TE Part #2219134-1
CORELESS C-SENSOR FOR TS

Documents

Product Drawings

SOCKET CONTACT 2,5MMD

German

CAD Files

Customer View Model

ENG_CVM_929970-1_A5.3d_igs.zip

English

Customer View Model

ENG_CVM_929970-1_A5.3d_stp.zip

English

Customer View Model

ENG_CVM_929970-1_A5.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Datasheets & Catalog Pages

Heavy Duty Connectors

English

Product Specifications

Application Specification

English

Application Specification

German

Application Specification

English