




Terminals & Splices > Automotive Terminals > ROUND CONNECTOR SYSTEM, PIN AND SOCKET



Terminal Type: **Socket**
Wire Size: **17 – 13 AWG**
Interface Plating: **Tin (Sn)**
Primary Locking Feature: **Locking Lance**

All ROUND CONNECTOR SYSTEM, PIN AND SOCKET (46)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Locking Lance
Sealable	Yes

Body Features

Terminal Seal Type	Single Wire Seal (SWS)
--------------------	------------------------

Contact Features

Typical Current Rating	34 A
Crimp Type	F-Crimp
Contact Size	2.5mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Socket
Interface Plating	Tin (Sn)
Mating Pin Diameter	2.5 mm[.098 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire



Dimensions

Compatible Insulation Diameter Range	2.2 – 3 mm[.086 – .118 in]
Wire Size	17 – 13 AWG
Wire Size Search	1 mm², 1.25 mm², 1.5 mm², 2 mm², 2.5 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	125 °C[212 °F]
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	3000

Other

Terminal Transmits	25 – 40 A (Power)
--------------------	-------------------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 KIT REPRESENTATION ONLY TE Part # 7-2151345-7 OCEAN_2.0_SPARE_PART_KIT-100F1700	 KIT REPRESENTATION ONLY TE Part # 7-2266057-7 OC-100F1700-752-CRIMPTOOLINGKIT	 TE Part # 2151345-1 OCEAN_2.0_APPLICATOR-S-100F1700-RSM	 TE Part # 828921-1 EINZELADERDICHTUNG
 TE Part # 5-2151345-2 OCEAN_2.0_APPLICATOR-S-100F1700-RSA	 TE Part # 5-2151345-1 OCEAN_2.0_APPLICATOR-S-100F1700-RSM	 TE Part # 2151345-2 OCEAN_2.0_APPLICATOR-S-100F1700-RSA	 TE Part # 1-1579007-8 EXTRACTION TOOL
 TE Part # 3-1813099-2 2.5mm SOCKET HSG ASSEMBLY (GREEN 3POS)	 TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp	 TE Part # 1-2349482-1 4 POS DIA 2.5 SOCKET CONNECTOR HSG	 TE Part # 1-2349482-3 2 POS DIA 2.5 SOCKET CONNECTOR HSG
 TE Part # CAT-C4962-CH8172 Circular DIN Housings	 TE Part # 58606-1 PROCrimp 1.5 & 2.5MM PIN/SEAL	 TE Part # 1-2349482-2 3 POS DIA 2.5 SOCKET CONNECTOR HSG	 TE Part # 58606-2 PC DIE 1.5 & 2.5 PIN W/S


Also in the Series | Round Connector System



Automotive Connector Caps & Covers (5)



Automotive Housings(12)



Automotive Terminals(47)



Connector Seals & Cavity Plugs(5)



DIN Connectors(3)




Insertion & Extraction Tools(8)

Customers Also Bought



TE Part #0081930007
ES-CAP-NO.1-C1-X-50MM



TE Part #929967-1
STIFTKONTAKT 2,5MMD




TE Part #2304887-1
16POS,HYBRID,TAB HSG ASSY,SLD, COD 1



TE Part #1-2383519-1
8POS,AMP MCP 2.8,TAB HSG ASSY, SLD,COD A



TE Part #828922-1
2,5MM CAVITY PLUG FOR 5,4MM DI



TE Part #160451-2
FF 250 TAB 18-14AWG TPPB LP



TE Part #1804296006
LSTT-3.2-0-20MM



TE Part #1-967325-2
2,5MM BU-GEH 3P



TE Part #1813344-1
7p 1.5mm socket housing assy' coding A



TE Part #1-967588-1
AMP MCP 9.5, CONTACT

Documents



Product Drawings

BU-KONTAKT 2,5MMD

English

CAD Files

Customer View Model

ENG_CVM_929975-1_A5.3d_igs.zip

English

Customer View Model

ENG_CVM_929975-1_A5.3d_stp.zip

English

Customer View Model

ENG_CVM_929975-1_A5.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Application Specification

German

Application Specification

English