



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Number of Positions: **40**
Primary Product Color: **Blue**
Protection & Strain Relief Accessory Type: **Cover Assembly**
Primary Product Material: **PBT GF**
Cable Exit Angle: **15°**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover Assembly
---	----------------

Configuration Features

Number of Positions	40
---------------------	----

Body Features

Primary Product Color	Blue
Primary Product Material	PBT GF
Cable Exit Angle	15°

Mechanical Attachment

Strain Relief	Without
---------------	---------

Usage Conditions

Operating Temperature (Max)	100 °C[212 °F]
Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]

Packaging Features

Packaging Method	Box
Packaging Quantity	180

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-SIGH262
Signal Header



TE Part # 953120-4
40W MQS COVER (15d) BLUE



TE Part # 953121-1
LEVER FOR 40W MQS

Customers Also Bought



TE Part #1801823-1
4POS,MCON 0.5 CB,REC HSG,BLACK, ASSY,SLD



TE Part #CAT-M8793-CH8172
MQS, CONNECTOR HOUSING



TE Part #8-1564284-6
96POS,MCON-1.2 CB,REC HSG,ASSY



TE Part #1801175-1
2W RECEPTACLE HP CONNECTOR BLACK



TE Part #1801174-1
2W TAB HP CONNECTOR BLACK



TE Part #1-1718484-2
CARRIER FOR RECEPTACLE INSERTS



TE Part #1456987-1
2x4 Fem unsealed LP assy Key A



TE Part #1-1718492-4
1.5MM TAB HSG 36 POS ASSY



TE Part #964594-1
HALTER F3XSICHERG C

Documents

Product Drawings

40W MQS COVER ASSY (15d)

English

CAD Files

Customer View Model

ENG_CVM_953122-4_O.3d_igs.zip

English

Customer View Model

ENG_CVM_953122-4_O.3d_stp.zip

English

Customer View Model

ENG_CVM_953122-4_O.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

French

Instruction Sheets

Instruction Sheet (non U.S.)

French