



Connectors > Connector Accessories > Connector Seals & Cavity Plugs > 3.00mm - 3.99mm Diameter Cavity Plugs



Connector Seal & Plug Type: **Cavity Blanking Plug**
Cavity Diameter: **3.6 mm [.142 in]**
Operating Temperature Range: **-40 – 130 °C [-40 – 266 °F]**
Primary Product Color: **White**
Primary Product Material: **Silicone**

[All 3.00mm - 3.99mm Diameter Cavity Plugs \(5\)](#)

Features

Product Type Features

Connector Seal & Plug Type	Cavity Blanking Plug
----------------------------	----------------------

Body Features

Primary Product Color	White
Primary Product Material	Silicone

Dimensions

Cavity Diameter	3.6 mm[.142 in]
Compatible Insulation Diameter Range	3.9 mm[.154 in]

Usage Conditions

Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
Operating Temperature (Max)	130 °C[266 °F]

Other

Resistance to Hydrocarbons	Poor
Shore A Hardness	50



Contains Lubricant	Yes
--------------------	-----

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 1-284716-1
6 POS REC. CONNECTOR FOR EGR V




TE Part # CAT-AM705-CH8172
AMP MCP, SEALED CONNECTOR HOUSING



TE Part # 1746894-5
MT2 RD SEAL 2POSN PLUG HSG ASSY




TE Part # 1-284716-7
6 POS REC. CONNECTOR FOR MTII




TE Part # 1379208-3
26W ASSY RECEPTACLE HSG




TE Part # 1-284716-2
6 POS REC. CONNECTOR FOR EGAS



TE Part # CAT-M9194-CH8172
MULTILOCK, CONNECTOR HOUSING



TE Part # 1379208-4
26W ASSY RECEPTACLE HSG



TE Part # 1746894-3
MT2 RD SEAL 2POSN PLUG HSG ASSY



TE Part # 1-284716-4
6 P. REC CONN X UEGO CONN




TE Part # 1-284716-3
6 POS REC. CONNECTOR FOR MTII




TE Part # CAT-N10-RC4815
48V Ready 1.5mm Sealed Connectors



TE Part # 1393436-4
V23542C1028B300=KABELBAUMST. 8



TE Part # 1746894-4
MT2 RD SEAL 2POSN PLUG HSG ASSY




TE Part # 1746894-2
MT2 RD SEAL 2POSN PLUG HSG ASSY



TE Part # 1-1743059-2
MT-2/JPT SLD 36P PLUG ASSY BLK




TE Part # CAT-L489-CH8172
LEAVYSEAL Connector Housings



TE Part # 953756-1
47W RCPT HSG ASSY



TE Part # 444046-4
HSG ASSY 4P MULTI-LOCK REC.




TE Part # 1-284716-5
6 POS. REC. CONNECTOR FOR MT2

Also in the Series | **Timer Connector System**



Automotive Connector Caps & Covers
(36)




Automotive Connector Locks & Position Assurance(15)




Automotive Housings(111)



Automotive Terminals(21)



Crimp Terminal Housings(13)



Other Automotive Connector Accessories(4)



Quick Disconnects(4)




Rectangular Power Connectors(1)

Also in the Series | MCON Interconnection System




Automotive Connector Caps & Covers (36)



Automotive Connector Locks & Position Assurance(15)




Automotive Housings(111)




Automotive Terminals(21)



Connector Seals & Cavity Plugs(8)



Other Automotive Connector Accessories(4)



PCB Headers & Receptacles(3)



Rectangular Power Connectors(1)

Customers Also Bought



TE Part #1-1563759-1
18POS,AMP MCP1.5K,REC HSG,ASSY



TE Part #828922-2
CAVITY PLUG 2,5MM S



TE Part #CAT-AM705-T273
AMP MCP, RECEPTACLE AND TAB



TE Part #1-1418479-1
8POS,AMP MCP1.5K,REC. HSG,CODA



TE Part #1418882-1
COVER FOR 62POS.REC.HSG



TE Part #828905-1
SINGLE-WIRE-SEAL(5MM HOLE)



TE Part #964971-1
EINZELLEITERDICHTNG



TE Part #CAT-H3399-B128
Heavy Duty Sealed Connector Series Backshells



Documents

Product Drawings

BLINDSTOPFEN

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_963531-1_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_963531-1_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_963531-1_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

HDSCS CAN Bus Y-Connector and 120 Resistor Brochure

English

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

French

Instruction Sheets

Instruction Sheet (non U.S.)

French

Instruction Sheet (non U.S.)

French