



Connectors > Connector Accessories > Connector Backshells > Circular DIN Backshells



Connector Backshell Product Type: **Backshell**

Primary Product Material: **PA 6**

Sealable: **No**

Operating Temperature Range: **-40 – 120 °C [-40 – 248 °F]**

[All Circular DIN Backshells \(16\)](#)

Features

Product Type Features

Connector Backshell Product Type	Backshell
Sealable	No

Body Features

Cable Exit Angle	90°
Primary Product Color	Black
Primary Product Material	PA 6

Mechanical Attachment

Strain Relief	Without
---------------	---------

Dimensions

Compatible Cable Diameter Range	13.4 mm[.528 in]
---------------------------------	------------------

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------



Packaging Features

Packaging Method	Carton
Packaging Quantity	700

Other

Serviceable	Yes
-------------	-----

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1394324-3
2,5MM PIN HOUSING 2/4POS,ASSY



TE Part # CAT-H3399-CH8172
Heavy Duty Sealed Connector Series Housings



TE Part # 1394324-1
2,5MM STIFTSTECK 2P




TE Part # CAT-C4962-CH8172
Circular DIN Housings



TE Part # 1241598-1
2,5MM ST-GEH,ASSY4P

Customers Also Bought



TE Part #929990-1
1,5MM SOCK CONTACT




TE Part #CAT-C4962-CH8172
Circular DIN Housings



TE Part #1337245-3
HSG ASSY DIA 1.5MM SOCKETLATCH



TE Part #CAT-H3399-B128
Heavy Duty Sealed Connector Series Backshells



TE Part #1-163081-1
.062 DIA PIN ASSY 3+

TE Part #1-2030442-8
BEARING, BALL, DEEP GROOVE, SINGLE ROW

TE Part #5-539229-2
CUTTING BLADE

Documents

Product Drawings
ABDECKKAPPE 90GRD
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_965783-1_B.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_965783-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_965783-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

TERMINALS AND CONNECTORS

English

[HDSCS Catalog](#)

English

CONNECTOR SELECTOR

English

Product Specifications

[Application Specification](#)

English