TXR40AB9W-1207AI ACTIVE



Polamco | Tinel Ring Swept Elbow Backshells

TE Internal #: AAG5255-00

Ruggedized, Backshell, 11.1 mm [.437 in] Cable Entry, Aluminum, Swept Right Angle, 13 Shell Size, 07 Entry Size, Tinel Ring Swept

Elbow Backshells

View on TE.com >



Connectors > Connector Accessories > Connector Backshells



Connector Backshell Product Style: Ruggedized Connector Backshell Product Type: Backshell Cable Entry Diameter: 11.1 mm [.437 in] Primary Product Material: Aluminum Body Orientation: Swept Right Angle

Features

Product Type Features

Termination Device Included	TR07AI
Connector Backshell Product Style	Ruggedized
Connector Backshell Product Type	Backshell
Termination Device Type	Tinel-Lock Adapter

Body Features

Primary Product Color	Olive Drab
Primary Product Material	Aluminum
Primary Product Plating Material	Cadmium

Housing Features

Body Orientation	Swept Right Angle
Compatible With Connector Shape	Circular

Dimensions

Product Length	25.6 mm[1 in]
Compatible Cable Diameter Range	0 – 11.1 mm
Cable Entry Diameter	11.1 mm[.437 in]

Usage Conditions



Operating Temperature Range	-65 – 175 °C[-85 – 347 °F]
Operation/Application	
Compatible With Connector Shell Size	13
Other	
TE Connector Interface Code	40
Entry Size Code	07

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Pb (.3% in BODY & NUT) Cd (3% in BODY & NUT) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | Tinel Ring Swept Elbow Backshells



Circular Connector Backshells & Clamps(17)



Connector Backshells(17)



Ruggedized Backshells & Adapters(17)

Customers Also Bought



















Ruggedized, Backshell, 11.1 mm [.437 in] Cable Entry, Aluminum, Swept Right Angle, 13 Shell Size, 07 Entry Size, Tinel Ring Swept Elbow Backshells



Documents

Product Drawings
TXR40AB9W-1207AI

English

Datasheets & Catalog Pages

TXR Swept Elbow Backshells

English