

ANT-450-RHR-SMA

✓ ACTIVE

TE Internal #: ANT-450-RHR-SMA

Terminal/Duck Antenna, Single Band, Cat-M/NB-IoT / Cellular,  
External Mount, Stud/Screw/Lug Mount, SMA, Omnidirectional,  
Single Port

[View on TE.com >](#)



Antennas



Antenna Type: **Terminal/Duck**

Band Type: **Single Band**

Primary Application: **Cat-M/NB-IoT, Cellular**

Wireless Application: **Cat-M/NB-IoT, Cellular**

Mounting Location: **External**

Features

Product Type Features

Antenna Termination	SMA
Antenna Product Type	Antenna

Configuration Features

Antenna Style	Whip
Antenna Type	Terminal/Duck
Band Type	Single Band
Mounting Location	External
Port Configuration	Single Port

Electrical Characteristics

Impedance	50 Ω
VSWR (Max)	<2:1

Signal Characteristics

Frequency Band	450 MHz
Frequency Category	410 – 470
Peak Gain	< 0 dBi

Body Features

Product Weight	11.4 g[.40211 oz]
----------------	-------------------



Mechanical Attachment

Polarization	Linear
Mounting Type	Stud/Screw/Lug Mount

Dimensions

Product Width	18.2 mm[.72 in]
Product Length	51.2 mm[2.02 in]
Product Height	9 mm[.35 in]

Operation/Application

Antenna Environment	Outdoor
Directionality	Omnidirectional

Industry Standards

Primary Application	Cat-M/NB-IoT, Cellular
Wireless Application	Cat-M/NB-IoT, Cellular

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the



product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

TE Part # CONSMA008-G  
SMA Jack 50 Ohm Through Hole PCB

TE Part # CONSMA002-SMD-G  
SMA Jack 50 Ohm PCB Surface Mount

TE Part # CONSMA001  
SMA Jack 50 Ohm PCB Through Hole

TE Part # CONSMA002-L-G  
SMA Jack 50 Ohm PCB Through Hole

Customers Also Bought

TE Part #2-34162-1  
TERMINAL,PG R 16-14 1/4

TE Part #205203-8  
CRIMP SNAP RCPT ASSY,SIZE 1

TE Part #3-520141-2  
ULTRAFAST 250 ASSY REC 16-14  
TPBR LP

TE Part #8-1879352-7  
RR02 5% 1K2 AMMO

TE Part #2-520102-2  
ULTRA-FAST 250 ASSEMBLY TAB 22-18 AWG BR

TE Part #33471  
TERMINAL,SOLIS R 4 3/8

TE Part #CAT-AM7801-CH8172  
AMPSEAL 16 Housings

TE Part #206036-1  
RECEPT,SZ 17-16 CPC

TE Part #0600-00056  
ANT,2.4GHz, PCB DIPOLE

Documents

Product Drawings  
Antenna Short R-Angle 450-470MHz SMA  
English



CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_ANT-450-RHR-SMA\\_A.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_ANT-450-RHR-SMA\\_A.2d\\_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_ANT-450-RHR-SMA\\_A.3d\\_igs.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.