




Connectors > Connector Accessories > Connector Hardware



Connector Hardware Accessory Type: **Grounding Block**

Operating Temperature (Max): **125 °C [257 °F]**

Operating Temperature Range: **-65 – 125 °C [-85 – 257 °F]**

Hardware Accessory Function: **Mounting**

Features

Product Type Features

Connector Hardware Accessory Type	Grounding Block
Hardware Accessory Function	Mounting

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (3.7%) <small>Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.</small>
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 496587-000

MTC100Q-SH1-P22

Customers Also Bought

TE Part #ZPF00000000017880

FAST-E 02 M-X-B 00 A

TE Part #1996544-2

Seal Boot Ret. Plate Kit, 12 Pos. Quadrax

TE Part #494203-000

MTCP-122-20S

TE Part #ZPF00000000017864

FAST-E 01 F-X-A 00 B

TE Part #ZPF000000000146192

DMC-MD 26 D-K-T

TE Part #918367N001



SO63-3-9036-18CS2677

TE Part #361335N001

SO63-4-9036-18CS2677

TE Part #ZPF000000000002182

194-8002-00



Documents

Product Drawings

CHA-0307

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_C53218-000_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_C53218-000_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_C53218-000_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

MTC Quick-Disconnect Connectors with Removable Contacts

English