CEDA258NN0000056000 ACTIVE



TE Internal #: CGA258N00000056000

Cable-to-Panel, Power, Panel Mount, Electrodeposited Nickel, Zinc Alloy, PA66, 40 Shell Size, Shielded, Receptacle, Metal, -20 – 130 °C

[-4 – 266 °F]

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors











Connector System: Cable-to-Panel

Sealable: No

Circuit Application: Power

Connector Mounting Type: Panel Mount Shell Plating Material: Electrodeposited Nickel

Features

Product Type Features

Connector System Sealable No Circular Connector Type Receptacle	Connector Product Type	Connector Assembly
	Connector System	Cable-to-Panel
Circular Connector Type Receptacle	Sealable	No
	Circular Connector Type	Receptacle
Shell Type Metal	Shell Type	Metal

Electrical Characteristics

Operating Voltage	250 VDC, 630 VDC

Body Features

Environmental Protection	IP67
Shell Plating Material	Electrodeposited Nickel
Shell Base Material	Zinc Alloy
Circular Connector Insulation Material Type	PA66

Mechanical Attachment

Panel Mount Feature Type	Flange with Mounting Holes	
--------------------------	----------------------------	--



Mating Retention Type	Speedtec (Triple Start Threaded)
Connector Mounting Type	Panel Mount
Housing Features	
Circular Connector Shell Size	40
Usage Conditions	
Operating Temperature Range	-20 – 130 °C[-4 – 266 °F]
Operation/Application	
Durability Rating	500 Cycles
Circuit Application	Power
Shielded	Yes
Industry Standards	
UL Flammability Rating	UL 94V-0
Compatible With Approved Standards Products	UL

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (3.5% in Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

















Customers Also Bought













ROTATABLE



TE Part #AGC113N00001222000 623 RECEPTACLE ANGLED ROTATABLE Cable-to-Panel, Power, Panel Mount, Electrodeposited Nickel, Zinc Alloy, PA66, 40 Shell Size, Shielded, Receptacle, Metal, -20 – 130 °C [-4 – 266 °F]



TE Part #BDA108F65000150000 923 BULKHEAD CONNECTOR



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_CGA258N00000056000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_CGA258N00000056000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_CGA258N00000056000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

CGA258N00000056000

English

fuer Datenblaetter, die online konfigurierbar sind

German

Product Specifications

German