

CSTA263NN00260001000

✓ ACTIVE

TE Internal #: CSA263N00260001000

6 Position Circular Connector, Cable-to-Cable, Power & Signal,  
Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy,  
PA66

[View on TE.com >](#)



Connectors > Circular Connectors > Standard Circular Connectors



Number of Positions: 6

Connector System: **Cable-to-Cable**

Sealable: **No**

Circuit Application: **Power & Signal**

Connector Mounting Type: **Cable Mount (Free-Hanging)**

Features

Product Type Features

Connector Product Type	Housing Assembly
Connector System	Cable-to-Cable
Sealable	No
Circular Connector Type	Plug
Shell Type	Metal

Configuration Features

Number of Positions	6
Number of Power Positions	4
Number of Signal Positions	2
Contacts Preloaded	No

Electrical Characteristics

Operating Voltage	250 VDC, 630 VDC
-------------------	------------------

Body Features

Environmental Protection	IP67
--------------------------	------



Environmental Protection Type	Sealed
Shell Plating Material	Electrodeposited Nickel
Shell Base Material	Zinc Alloy
Circular Connector Insulation Material Type	PA66

Mechanical Attachment

Mating Retention Type	Screw
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Mating Retention	With

Housing Features

Circular Connector Shell Size	40
Alignment Keyed	0°

Dimensions

Cable Diameter Range	9 – 16 mm[.35 – .63 in]
----------------------	-------------------------

Usage Conditions

IP Water Sealing Level	IP67
Operating Temperature Range	-20 – 130 °C[-4 – 266 °F]

Operation/Application

Durability Rating	500 Cycles
Circuit Application	Power & Signal
Shielded	Yes

Industry Standards

UL Flammability Rating	UL 94V-0
Compatible With Approved Standards Products	UL

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)



Candidate List Declared Against: JUNE 2024 (241)  
SVHC > Threshold:  
Pb (3.5% in Component)







**Article Safe Usage Statements:**  
Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # C0-0313-000-P00 CRIMPING DEVICE HC20 IN CASE</p>	 <p>TE Part # CEA270N00000051000 940 RECEPTACLE, SPEEDTEC-READY</p>	 <p>TE Part # C0-0010-000-000 POSITIONING INSERT FOR 3.6 MM CONTACTS</p>	 <p>TE Part # C0-0201-000-P00 CRIMPING TOOL MID-SIZE</p>
 <p>TE Part # C0-0236-000-P00 DIGITAL CRIMPING TOOL, MID SIZE</p>	 <p>TE Part # C0-0004-000-000 POSITIONING INSERT FOR 2 MM CONTACTS</p>	 <p>TE Part # C0-0008-000-P00 CRIMPING TOOL LARGE</p>	

Customers Also Bought





TE Part #AKA015N00090200000  
623 EXTENSION, SPEEDTEC-READY



TE Part #PKA002N0085050A000  
917 SINGLETEC EXTENSION



TE Part #BKA854N0085155A000  
917 EXTENSION, SPEEDTEC-READY



TE Part #CDA265N00000001000  
940 BULKHEAD CONNECTOR



TE Part #BSA085N00420235047  
923 PLUG, DELIVERY AS INDIVIDUAL PARTS



TE Part #60-0225-011-000  
CONTACT SOCKET 3,6 MM



TE Part #60-0252-011-P00  
CONTACT SOCKET 1 MM



TE Part #61-0232-011-P00  
CONTACT PIN 1 MM



TE Part #ESB002N00330001000  
615 PLUG



TE Part #EKB001N00330001000  
615 EXTENSION

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_CSA263N00260001000\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_CSA263N00260001000\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_CSA263N00260001000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

CSA263N00260001000

English

fuer Datenblaetter, die online konfigurierbar sind

German

CSTA263NN00260001000

6 Position Circular Connector, Cable-to-Cable, Power & Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PA66



Product Specifications

German