#### DEUTSCH | DEUTSCH 369

TE Internal #: D369-P66-NP1 Connector Assembly, Plug, Crimp, Wire-to-Wire, Gold (Au), Normal, 6 Position, DEUTSCH 369, Rectangular Wire & Cable Connectors & Housings

View on TE.com >



Connectors > Rectangular Connectors > Standard Rectangular Connectors > Rectangular Connectors: 6-Way Plug



Connector Product Type: Connector Assembly

Connector & Housing Type: Plug

Mating Alignment: With

Mating Alignment Type: Keyed

Mating Retention: With

All Rectangular Connectors: 6-Way Plug (23)

### Features

### Product Type Features

Connector Seal & Plug Type

#### Triple-Seal

06
Connector Assembly
Plug
Wire-to-Wire
Normal
Yes
Wire & Cable
3
6
6
6
Yes
6
2

**C** For support call+1 800 522 6752

Connector Assembly, Plug, Crimp, Wire-to-Wire, Gold (Au), Normal, 6 Position, DEUTSCH 369, Rectangular Wire & Cable Connectors & Housings



### **Electrical Characteristics**

Operating Voltage	400 VAC
Body Features	
Connector & Keying Code	Ν
Connector Seal Color	Natural
Seal Material	Fluorosilicone
Cable Exit Angle	180°
Seal Type	Grommet Seal, Interfacial Seal
Primary Product Color	Black
Contact Features	
Contact Size	Size 22
Wire Contact Termination Area Plating Material	Gold
Contact Type	Pin
Contact Mating Area Plating Material	Gold (Au)
Contact Retention Within Housing	With
Contact Current Rating (Max)	5 A

# **Termination Features**

Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Strain Relief	Without
Mating Alignment	With
Mating Alignment Type	Keyed
Mating Retention	With
Mating Retention Type	Button Latch
Housing Features	
Housing Material	Composite
Shell Material	Composite
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Row-to-Row Spacing	2.54 mm[.1 in]
Compatible Insulation Diameter Range	.71 – 1.37 mm[.028 – .054 in]
Usage Conditions	

**C** For support call+1 800 522 6752

Connector Assembly, Plug, Crimp, Wire-to-Wire, Gold (Au), Normal, 6 Position, DEUTSCH 369, Rectangular Wire & Cable Connectors & Housings



Operating Temperature Range	-55 – 175 °C[-67 – 347 °F]
Operation/Application	
Shielded	No
Circuit Application	Power & Signal
Packaging Features	
Packaging Quantity	1
Packaging Method	Package
•	
•	Compliant with Exemptions
For compliance documentation, visit the product page on TE.com>	Compliant with Exemptions Compliant with Exemptions
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant with Exemptions
For compliance documentation, visit the product page on TE.com>         EU RoHS Directive 2011/65/EU         EU ELV Directive 2000/53/EC         China RoHS 2 Directive MIIT Order No 32, 2016	Compliant with Exemptions Restricted Materials Above Threshold Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 202
EU ELV Directive 2000/53/EC China RoHS 2 Directive MIIT Order No 32, 2016	Compliant with Exemptions Restricted Materials Above Threshold Current ECHA Candidate List: JAN 2025

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not reviewed for solder process capability

Halogen Content

#### Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# **Compatible Parts**

Connector Assembly, Plug, Crimp, Wire-to-Wire, Gold (Au), Normal, 6 Position, DEUTSCH 369, Rectangular Wire & Cable Connectors & Housings





# Also in the Series | DEUTSCH 369



# Customers Also Bought



Receptacle

TIE WRAP

# Documents

Receptacle

# Product Drawings 369 6 WAY PLUG, CRIMP, PIN

English

### **CAD** Files

Customer View Model

ENG\_CVM\_CVM\_D369-P66-NP1\_AB.2d\_dxf.zip

TIE WRAP

Connector Assembly, Plug, Crimp, Wire-to-Wire, Gold (Au), Normal, 6 Position, DEUTSCH 369, Rectangular Wire & Cable Connectors & Housings



English

Customer View Model ENG\_CVM\_CVM\_D369-P66-NP1\_AB.3d\_stp.zip

English

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_D369-P66-NP1\_AB.3d\_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications
Product Specification

English