D5154-00005-015PD <

MEAS | MEAS D5100

TE Internal #: D5154-000005-015PD Industrial Pressure Transducer, Differential, 4 – 20 mA Output Signal, 3X, 10X Rated Proof Pressure Range, MEAS D5100 View on TE.com >



Sensors > Pressure Sensors > Pressure Transducers > Differential Pressure Transducer



Pressure Sensor Type: Industrial Pressure Transducer

Pressure: 1.034 bar [15 psi]

Pressure Type: Differential

Supply Voltage Range: 10 V

Output Signal Type: 4-20 mA

All Differential Pressure Transducer (5)

Features

Product Type Features

Pressure Sensor Type

Pressure Type

Industrial Pressure Transducer

Differential

Configuration Features

Electrical Connection	Packard
Electrical Characteristics	
Supply Voltage Range	10 V
Body Features	
Port Material	316L
Dimensions	
Product Width	25.4 mm[1 in]
Product Length	81.02 mm[3.19 in]
Product Height	77.7 mm[3.06 in]
Usage Conditions	
Pressure	1.034 bar[15 psi]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Operation/Application	

C For support call+1 800 522 6752

D5154-000005-015PD

Industrial Pressure Transducer, Differential, 4 – 20 mA Output Signal, 3X, 10X Rated Proof Pressure Range, MEAS D5100



Output Signal Type	4 – 20 mA
Proof Pressure Range	3X, 10X Rated
Pressure Accuracy	Down to ± .1% Span
Other	
Sensor Options	None
Port Fitting	1/4 MNPT
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
	Compliant with Exemptions Compliant with Exemptions
EU RoHS Directive 2011/65/EU	
EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant with Exemptions
EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC China RoHS 2 Directive MIIT Order No 32, 2016	 Compliant with Exemptions Restricted Materials Above Threshold Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247)

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


D5154-000005-015PD

Industrial Pressure Transducer, Differential, 4 – 20 mA Output Signal, 3X, 10X Rated Proof Pressure Range, MEAS D5100






Also in the Series | MEAS D5100



Customers Also Bought





D5154-000005-015PD

Industrial Pressure Transducer, Differential, 4 – 20 mA Output Signal, 3X, 10X Rated Proof Pressure Range, MEAS D5100



Documents

CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_D5154-000005-015PD_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_D5154-000005-015PD_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_D5154-000005-015PD_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages D5100

English