




Energy & Power > Power Cable Accessories > Joints & Splices



Installation Technology: **Power Gel**

Product Availability: **Americas**

Installation Instruction: **English**

Joints & Splice Product Type: **Splice Closure**

Voltage Class: **≤ 1 kV**

Features

Product Type Features

Adhesive Coating	With
Installation Technology	Power Gel
Joints & Splice Product Type	Splice Closure
Closing Method	Snap

Configuration Features

Number of Main Wires (Max)	1
----------------------------	---

Electrical Characteristics

Voltage Class	≤ 1 kV
---------------	--------

Body Features

Primary Product Color	Black
Flexibility	Semi-Flexible

Mechanical Attachment

Mechanical Reinforcement	Cable Ties
--------------------------	------------

Dimensions

Compatible Cable Diameter - Main (Min)	4 mm
Compatible Conductor Cross-Section Range	4 – 95 mm ²
Compatible Insulation Diameter Range	4 – 18 mm[.7 – .15 in]



Compatible Cable Cross-Section - Main (Max)	95 mm²
Compatible Cable Cross-Section - Main (Min)	4 mm²
Compatible Cable Diameter - Main (Max)	18 mm
Compatible Conductor Diameter Range	.15 – .7 mm[4 – 18 in]

Usage Conditions

Operating Temperature Range	-40 – 95 °C
Fluid Resistance Type	Hydrochloric Acid, Motor Oil, Sodium Chloride, Sodium Hydroxide
Environmental Resistance	Moisture, Protection Against Humidity, Rain, Self Sealing, Water Repelant, Weathering

Operation/Application

Mechanical Resistance	Against Mechanical Impact
UV-Stabilized	Yes
Thermal Resistance	Applicable for Low Temperatures, Applicable for High Temperatures, Flame-Retardant

Industry Standards

Compatible With Approved Standards Products	ANSI C119.1
---	-------------

Product Availability

Product Availability	Americas
----------------------	----------

Packaging Features

Packaging Method	Pieces in Polybag
Packaging Quantity	6

Other

Product Use	PowerGel-filled wraparound for LV splices and cable jacket repair
Installation Instruction	English

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2025 (247)
Candidate List Declared Against: JUN 2016 (169)
SVHC > Threshold:
Not Yet Reviewed

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

TE Part # CB2019-000
GELWRAP-18/4-250UL(B6)

TE Part # CB2023-000
GELWRAP-18/4-350UL(B6)

TE Part # C42628-000
GELWRAP-18/4-200(B6)-DE

TE Part # CB2011-000
GELWRAP-18/4-200UL(B6)


TE Part # 971920-000
GELWRAP-18/4-250(B6)

Also in the Series | RAYCHEM GelWrap




Joints & Splices(24)

Customers Also Bought




TE Part #D70973-000
GELWRAP-33/10-350(B10)




TE Part #BM7889-000
RSTI-5855-DE08



TE Part #EN1870-000
MM-5-GC180-KP1.5-16-DE01



TE Part #CS7687-005
MXSU-5141-T4-DD01



TE Part #EL6886-000
HMY-701-GC1650-DE02

Documents

Product Drawings

GELWRAP-18/4-300(B6)

English

Datasheets & Catalog Pages

GELWRAP-WRAPAROUND-SLEEVE-CABLE-ACCESSORIES

English

Agency Approvals

UL Report

English