

DTP04-2P-C015

✓ ACTIVE

DEUTSCH | DEUTSCH DT, DEUTSCH DTP


TE Internal #: DTP04-2P-C015

2 Position Housing, Housing for Male Terminals, Wire-to-Wire, 6.71 mm [.264 in] Centerline, Sealable, Gray, Wire & Cable, Power, Hybrid

[View on TE.com >](#)



Connectors > Automotive Connectors > Automotive Housings > DEUTSCH DTP Housings



Number of Positions: 2

Connector & Housing Type: **Housing for Male Terminals**

Mating Pin Diameter: 2.4 mm [.094 in]

Connector System: **Wire-to-Wire**

Centerline (Pitch): 6.71 mm [.264 in]

[All DEUTSCH DTP Housings \(34\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Blank Cavity Position	0
Connector Seal Code	E Seal
Number of Positions	2
Number of Rows	1



Electrical Characteristics

Operating Voltage	200 VDC
Nominal Voltage Architecture	12 V, 24 V

Body Features

Cable Exit Angle	180°
Primary Product Color	Gray

Contact Features

Contact Size	Size 12
Contact Type	Pin
Mating Pin Diameter	2.4 mm[.094 in]
Contact Current Rating (Max)	25 A

Mechanical Attachment

Strain Relief	Without
Terminal Position Assurance	No
Mating Alignment Type	Polarization
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PA GF
Centerline (Pitch)	6.71 mm[.264 in]

Dimensions

Compatible Insulation Diameter Range	2.5 – 4 mm[.098 – .157 in]
Product Width	21.5 mm[.846 in]
Product Length	22.1 mm[.87 in]
Connector Height	47.3 mm[1.86 in]

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

IP Rating	IP68, IP6K9K
-----------	--------------



Compatible With Agency/Standards Products	SAE J2030
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	1
Packaging Method	Box

Other

Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part) Decamethylcyclopentasiloxane (D5) (.5% in Component Part) Octamethylcyclotetrasiloxane (D4) (.5% in 27520761152) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # CAT-D487-M8649 DEUTSCH DT Mounting Clips	 TE Part # 1060-12-0222 PIN, SF, SIZE 12, 10, NI/NI	 TE Part # WP-2P WEDGE LOCK, 2P, REC, ORG, DTP	 TE Part # 1011-120-0205 SEAL RET, 2P, GRY, DTP
 TE Part # CAT-D48-ST273 DEUTSCH Solid Contacts	 TE Part # 1010-079-0206 SEAL, INTF, 2P, RED-ORG, DTP	 TE Part # DTP2P-BT-BK BOOT, 2P, REC, ST, BLK	 TE Part # 1060-12-0244 PIN, SF, SIZE 12, 10, AU/SN
 TE Part # 1060-12-0144 PIN, SF, SIZE 12, 12-14, AU/SN	 TE Part # CAT-D48-SP729 DEUTSCH Sealing Plugs	 TE Part # 1924487-2 MOUNTING CLIP, AMPSEAL 16	 TE Part # DT-RT1 EXT TOOL, FRONT RELEASE
 TE Part # CAT-D486-CH8172 DEUTSCH DTP Housings	 TE Part # 1060-12-0166 PIN, SF, SIZE 12, 12-14, NI/SN	 TE Part # DTP2P-BT BOOT, 2P, REC, ST, GRY	

Also in the Series | **DEUTSCH DT**



Automotive Connector Caps & Covers
(19)



Connector Caps & Covers(1)



Rectangular Connector Housings(1)




Rectangular Power Connectors(5)




Standard Rectangular Connectors(1)


Also in the Series | **DEUTSCH DTP**




Automotive Connector Locks &
Position Assurance(4)



Automotive Housings(34)



Other Automotive Connector
Accessories(4)




PCB Headers & Receptacles(5)



Rectangular Power Connectors(5)

Customers Also Bought



Documents

Product Drawings

REC, 2P, GRY, E

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_DTP04-2P-C015_99_c-dtp04-2p-c015-99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_DTP04-2P-C015_99_c-dtp04-2p-c015-99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_DTP04-2P-C015_99_c-dtp04-2p-c015-99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

TERMINALS AND CONNECTORS

English

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications



Engineering Report

English

Engineering Report

English

Agency Approvals

UL Report

English