DTP06-4S-E004 ✓ ACTIVE

DEUTSCH | DEUTSCH DT, DEUTSCH DTP

TE Internal #: DTP06-4S-E004

4 Position Housing, Housing for Female Terminals, Wire-to-Wire,

6.7 mm [.264 in] Centerline, Sealable, Black, Wire & Cable, Power,

Hybrid

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > DEUTSCH DTP Housings











Number of Positions: 4

Connector & Housing Type: Housing for Female Terminals

Mating Pin Diameter: 2.39 mm [.094 in]

Connector System: Wire-to-Wire
Centerline (Pitch): 6.7 mm [.264 in]

All DEUTSCH DTP Housings (34)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Blank Cavity Position	0
Number of Positions	4
Number of Rows	2

Electrical Characteristics



Operating Voltage	200 VDC
Nominal Voltage Architecture	12 V, 24 V
Body Features	12 V, 27 V
Cable Exit Angle	180°
Primary Product Color	Black
	DIACK
Contact Features	
Contact Size	Size 12
Contact Type	Socket
Mating Pin Diameter	2.39 mm[.094 in]
Contact Current Rating (Max)	25 A
Mechanical Attachment	
Strain Relief	Without
Terminal Position Assurance	No
Mating Alignment Type	Polarization
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA GF
Centerline (Pitch)	6.7 mm[.264 in]
Dimensions	
Row-to-Row Spacing	10.2 mm[.4 in]
Compatible Insulation Diameter Range	3.4 – 4.9 mm[.134 – .195 in]
Product Width	22 mm[.866 in]
Product Length	24.4 mm[.96 in]
Connector Height	34.6 mm[1.36 in]
Usage Conditions	
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
IP Rating	IP68, IP6K9K



Compatible With Agency/Standards Products	SAE J2030
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	1
Packaging Method	Package
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.5% in 27519261130) Decamethylcyclopentasiloxane (D5) (.5% in 27519261130) Octamethylcyclotetrasiloxane (D4) (.5% in 27519261130) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts



TE Part # 180-DTP04

BKSHL, 4P, BLK, PLG, ST, SIDE AB,

NW 16




TE Part # WP-4S
WEDGE LOCK, 4P, PLG, ORG, DTP



TE Part # DTP4S-BT BOOT, 4P, PLG, ST, GRY



TE Part # CAT-D48-ST273
DEUTSCH Solid Contacts



TE Part # DTP15-4P HDR, 4P, BLK, ST, SN/NI/CU




TE Part # DTP4S-BT-EN
BOOT, 4P, PLG, ST, LONG, GRY



TE Part # B90-DTP04-952B BKSHL, 4P, BLK, PLG, RA-D, SIDE B, NW 16



TE Part # 1062-12-0144 SOC, SF, SIZE 12, 12-14, AU/SN



TE Part # 1062-12-0244 SOC, SF, SIZE 12, 10, AU/SN



TE Part # CAT-D486-CH8172
DEUTSCH DTP Housings



TE Part # 1062-12-0222 SOC, SF, SIZE 12, 10, NI/NI



TE Part # A90-DTP04-952B BKSHL, 4P, BLK, PLG, RA-D, SIDE A, NW 16



TE Part # CAT-D486-H342
DEUTSCH DTP Headers



TE Part # B90-DTP04
BKSHL, 4P, BLK, PLG, RA-U, SIDE B,
NW 16



TE Part # 1062-12-0166 SOC, SF, SIZE 12, 12-14, NI/SN



TE Part # CAT-D48-SP729
DEUTSCH Sealing Plugs




TE Part # DT-RT1


EXT TOOL, FRONT RELEASE







Also in the Series | DEUTSCH DT











Also in the Series | DEUTSCH DTP




Automotive Connector Locks & Position Assurance(4)




Automotive Housings(34)



Other Automotive Connector Accessories(4)



PCB Headers & Receptacles(5)



Customers Also Bought











Documents

Product Drawings

PLG, 4P, BLK, N

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_DTP06-4S-E004_99_c-dtp06-4s-e004-99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_DTP06-4S-E004_99_c-dtp06-4s-e004-99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_DTP06-4S-E004_99_c-dtp06-4s-e004-99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English