

RAYCHEM | RAYCHEM GelWrap

TE Internal #: E13495-000

Splice Closure, \leq 1 kV, 35 – 240 mm² Conductor, #2 – 500 AWG /kcmil Conductor, 1 Main Wires (Max), Snap Closure, RAYCHEM

GelWrap

View on TE.com >



Energy & Power > Power Cable Accessories > Joints & Splices





Installation Technology: Power Gel

Product Availability: Europe, Middle East & Africa

Joints & Splice Product Type: Splice Closure

Voltage Class: ≤ 1 kV

Compatible Conductor Cross-Section Range: 35 – 240 mm²

Features

Product Type Features

Product Type Features	
Case Seal	Gel
Cable Sealing Method	Gel
Adhesive Coating	With
Filler	PowerGel
Installation Technology	Power Gel
Joints & Splice Product Type	Splice Closure
Closing Method	Snap
Configuration Features	
Number of Main Wires (Max)	1
Electrical Characteristics	
Voltage Class	$\leq 1 \text{ kV}$
Body Features	
Primary Product Color	Black
Flexibility	Semi-Flexible
Mechanical Attachment	
Mechanical Reinforcement	Cable Ties

Without

Strain Relief



Dimensions

Dimensions	
Compatible Cable Diameter - Main (Min)	10 mm
Compatible Conductor Cross-Section Range	35 – 240 mm²
Compatible Conductor Range	#2 – 500 AWG/kcmil
Compatible Insulation Diameter Range	10 – 33 mm[.4 – 1.3 in]
Compatible Cable Cross-Section - Main (Max)	240 mm ²
Compatible Cable Cross-Section - Main (Min)	35 mm ²
Compatible Cable Diameter - Main (Max)	33 mm
Compatible Conductor Diameter Range	.4 – 1.3 mm[10 – 33 in]
Usage Conditions	
Operating Temperature Range	-40 – 95 °C
Fluid Resistance Type	Humic Acids, Hydrochloric Acid, Motor Oil, Sodium Chloride, Sodium Hydroxide, Water
Environmental Resistance	Moisture, Protection Against Humidity, Rain, Self Sealing, Water Repelant, Weathering
Operation/Application	
Mechanical Resistance	Against Mechanical Impact
UV-Stabilized	Yes
Marine-Offshore-Shipbuilding Certified	No
Industry Standards	
Compatible With Approved Standards Products	ANSI C119.1, EN 50393
Product Availability	
Product Availability	Europe, Middle East & Africa
Packaging Features	
Packaging Method	Bag
Packaging Quantity	6
Other	

Product Compliance

Product Use

For compliance documentation, visit the product page on TE.com>

Outdoor, Overhead & Direct Buried



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts
















Also in the Series | RAYCHEM GelWrap





Customers Also Bought















Documents

Product Drawings GELWRAP-33/10-150(B6)

English

Datasheets & Catalog Pages

GELWRAP-WRAPAROUND-SLEEVE-CABLE-ACCESSORIES

English