

D-CT

TE Internal #: EL8094-000

Continuous, Fluid Resistant, 3:1, Yellow, 6.4 mm [.25 in] Expanded Inside, Shrinks To 2.1 mm [.083 in], D-CT, Printable Tubing

View on TE.com >



Identification & Labeling > Printable Tubing



Printable Tubing Type: Continuous

Printable Tubing Grade: Fluid Resistant

Shrink Ratio: 3:1

Primary Product Color: Yellow

Expanded Inside Diameter (Min): 6.4 mm [.25 in]

Features

Product Type Features

Printable Tubing Type	Continuous
Printable Tubing Grade	Fluid Resistant
Body Features	
Shrink Ratio	3:1
Primary Product Color	Yellow
Dimensions	
Expanded Inside Diameter (Min)	6.4 mm[.25 in]
Recovered Inside Diameter (Max)	2.1 mm[.083 in]
Compatible Cable Diameter Range	2.1 – 5.12 mm[.083 – .202 in]
Usage Conditions	
Operating Temperature Range	-75 – 135 °C[-103 – 275 °F]
Printer/Label Features	

Thermal Transfer

50

Product Compliance

Packaging Quantity

Printer Technology

Packaging Features

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # EC9926-000 PRINTER-UNIVERSAL-REEL-HOLDER



TE Part # 1-2186500-1 T3212-PRINTER



TE Part # 1-2186502-1 T3224-PRINTER




TE Part # 1-2186503-1 T3224-SWARE-PRINTER




Also in the Series D-CT





Customers Also Bought

















TE Part #1-1555453-1 HVTE-AFD-316

Documents

Product Drawings
D-CT-50M-6.4-OUT-4

English

Datasheets & Catalog Pages

Printable Continuous Tubing

English

D-CT, Continuous Diesel Resistant Heat Shrinkable Identification Tube

English

Continuous, Fluid Resistant, 3:1, Yellow, 6.4 mm [.25 in] Expanded Inside, Shrinks To 2.1 mm [.083 in], D-CT, Printable Tubing



Cable Identification Product Shelf Life

English

Product Specifications

Product Specification

English

IDENTIFCATION PRINTER PRODUCT RIBBON MATRIX

English

Instruction Sheets

Instruction Sheet (non U.S.)

English