



Connectors > Connector Accessories > Connector Strain Relief



Strain Relief Accessory Type: **Split Ring Ferrule**  
Primary Product Material: **Composite**  
Operating Temperature Range: **-65 – 175 °C [ -85 – 347 °F ]**

Features

Product Type Features

Strain Relief Accessory Type	Split Ring Ferrule
------------------------------	--------------------

Body Features

Primary Product Material	Composite
--------------------------	-----------

Dimensions

Product Length	22.35 mm[.88 in]
----------------	------------------

Usage Conditions

Operating Temperature Range	-65 – 175 °C[-85 – 347 °F]
-----------------------------	----------------------------

Industry Standards

Compatible With Approved Standards Products	85049/93
---	----------

Other

Entry Size Code	16
-----------------	----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241)




	Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | Split Banding Ring



Connector Strain Relief(16)

Customers Also Bought



TE Part #2-1625999-2  
HSC100 27R 5%



TE Part #2334099-1  
D-SUB CRIMP FEMALE 9 POS



TE Part #EM6347-000  
R85049/93-14




TE Part #2334100-4  
D-SUB CRIMP MALE 37 POS



TE Part #2-1676625-7  
HSA25 240R 5%



TE Part #EM6342-000  
R85049/93-06




TE Part #87809-2  
MOD V RECP PLTD SN



TE Part #2-2176370-4  
RQ 0603 750R 0.1% 10PPM 5K RL



TE Part #5-1625999-9  
HSC100 36R 5%



TE Part #8-2176370-8  
RQ 0603 3K48 0.1% 10PPM 5K RL

Documents

Product Drawings

R85049/93-16

English

Datasheets & Catalog Pages

Circular Backshells

English