ER9615-000 - ACTIVE

RPS-CT

TE Internal #: ER9615-000 Continuous, Commercial, 3:1, Red, 4.8 mm [.187 in] Expanded Inside, Shrinks To 1.6 mm [.062 in], -30 – 105 °C [-22 – 221 °F], RPS-CT, Printable Tubing

View on TE.com >



Identification & Labeling > Printable Tubing > Continuous Tube Commercial Grade RPS-CT



Printable Tubing Type: Continuous
Printable Tubing Grade: Commercial
Shrink Ratio: 3:1
Primary Product Color: Red
Expanded Inside Diameter (Min): 4.8 mm [.187 in]

All Continuous Tube Commercial Grade RPS-CT (41)

Features

Product Type Features

Printable Tubing Type

Continuous

Printable Tubing Grade	Commercial
Body Features	
Shrink Ratio	3:1
Primary Product Color	Red
Dimensions	
Expanded Inside Diameter (Min)	4.8 mm[.187 in]
Recovered Inside Diameter (Max)	1.6 mm[.062 in]
Compatible Cable Diameter Range	2.3 – 5.5 mm[.091 – .215 in]
Usage Conditions	
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
Printer/Label Features	
Printer Technology	Thermal Transfer
Packaging Features	
Packaging Quantity	50

ER9615-000

Continuous, Commercial, 3:1, Red, 4.8 mm [.187 in] Expanded Inside, Shrinks To 1.6 mm [.062 in], -30 – 105 °C [-22 – 221 °F], RPS-CT, Printable Tubing



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | RPS-CT


ER9615-000

Continuous, Commercial, 3:1, Red, 4.8 mm [.187 in] Expanded Inside, Shrinks To 1.6 mm [.062 in], -30 – 105 °C [-22 – 221 °F], RPS-CT, Printable Tubing





Customers Also Bought



TE Part #T4082102004-000

E TE

TE Part #ER9617-000

TE Part #163563-000
B-151-07

TE Part #5054552012

-ETE



Documents

Product Drawings RPS-CT-50M-4.8-OUT-2

English

Datasheets & Catalog Pages

Printable Continuous Tubing

English

Cable Identification Product Shelf Life

English

ER9615-000

Continuous, Commercial, 3:1, Red, 4.8 mm [.187 in] Expanded Inside, Shrinks To 1.6 mm [.062 in], -30 – 105 °C [-22 – 221 °F], RPS-CT, Printable Tubing



Product Specifications Product Specification

English

Instruction Sheets Instruction Sheet (non U.S.)

English