

HD10-9-1939P-BP03

✓ ACTIVE

DEUTSCH | DEUTSCH HD10, DEUTSCH HD

TE Internal #: HD10-9-1939P-BP03

9 Position Housing, Housing for Male Terminals, Wire-to-Wire, Sealable, Green, Wire & Cable, Power, Panel Mount, -55 – 125 °C [-67 – 257 °F], Hybrid

[View on TE.com >](#)



Connectors > Automotive Connectors > Automotive Housings > DEUTSCH HD10 Housings



Number of Positions: 9

Connector & Housing Type: **Housing for Male Terminals**

Mating Pin Diameter: 1.59 mm [.063 in]

Connector System: **Wire-to-Wire**

Sealable: **Yes**

[All DEUTSCH HD10 Housings \(53\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Circular
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Blank Cavity Position	0
Connector Modification	J1939 Type II
Number of Positions	9

Electrical Characteristics

Operating Voltage	250 VDC
Nominal Voltage Architecture	12 V, 24 V, 48 V

Body Features

Cable Exit Angle	180°
------------------	------



Primary Product Color

Green

Contact Features

Contact Size	Size 16
Contact Type	Pin
Mating Pin Diameter	1.59 mm[.063 in]
Contact Current Rating (Max)	13 A

Mechanical Attachment

Strain Relief	Add By Accessory
Terminal Position Assurance	No
Mating Alignment Type	Polarizing Slot
Mating Alignment	With
Connector Mounting Type	Panel Mount

Housing Features

Housing Material	PA GF
------------------	-------

Dimensions

Compatible Insulation Diameter Range	2.54 – 3.81 mm[.1 – .15 in]
Product Width	44.45 mm[1.75 in]
Product Length	42.18 mm[1.66 in]
Connector Height	41.28 mm[1.625 in]

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

IP Rating	IP68, IP6K9K
UL Flammability Rating	20mm Flame Test per Standard UL-94

Packaging Features

Packaging Quantity	250
Packaging Method	Box

Other

--	--



Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.5% in 27519511676) Decamethylcyclopentasiloxane (D5) (.5% in 27519511676) Octamethylcyclotetrasiloxane (D4) (.5% in 27519511676) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # CAT-J67-DSCC16
DEUTSCH Size 16 Crimp Contacts



TE Part # CAT-H3910-RC1748
Receptacle Dust Caps — DEUTSCH HD10



TE Part # CAT-D48-SFT273
DEUTSCH Stamped and Formed Contacts



TE Part # 2300908-1
0460-003-16329, PIN, SOLID, 20-24AWG, AU



TE Part # CAT-D48-SP729
DEUTSCH Sealing Plugs



TE Part # HD10-9BT
BOOT, 9P, PLG/REC, ST, GRY



TE Part # HD10-9BT-BK-430
BOOT, 9P, PLG/REC, ST, BLK



TE Part # DT-RT1
EXT TOOL, FRONT RELEASE



TE Part # CAT-D48-ST273
DEUTSCH Solid Contacts



TE Part # HD10-9BT-BK
BOOT, 9P, PLG/REC, ST, BLK



TE Part # CAT-H3910-CH8172
DEUTSCH HD10 Housings



TE Part # HDC14-3
DUST CAP

Also in the Series | **DEUTSCH HD10**



Automotive Connector Caps & Covers (26)




Automotive Headers(1)



Automotive Housings(768)




Connector Backshells(29)



PCB Headers & Receptacles(1)



Rectangular Power Connectors(1)



Wire-to-Board Headers & Receptacles (1)

Also in the Series | **DEUTSCH HD**




Automotive Connector Caps & Covers (26)



Automotive Housings(768)



Other Automotive Connector Accessories(17)



PCB Headers & Receptacles(1)




Rectangular Power Connectors(1)

Customers Also Bought



TE Part #770253-3
UMNL II SOK PTPPHBZ LP 24-18




TE Part #643222-1
MINI-SPRING RECEPTACLE 20-16
AWG PTPBR



TE Part #CAT-T4827-T273
TIMER, RECEPTACLE AND TAB



TE Part #DT06-12SA-E005
PLG, 12P, BLK, N, CAP, A



TE Part #776535-3
AS16,CAP ASSY,ST,03P,E SEAL,CODE
C



TE Part #DT04-12PA-BE04
REC, 12P, BLK, E, ENH KEY, CAP, A



TE Part #HDP26-24-9SN-L017
PLG, 9P, BLK, N, RNG, 4/8/12, S



TE Part #2301692-1
DUST CAP, 9P, REC, GRN, J1939,
HD10



TE Part #640416-2
BLADE TAB 250 18-14AWG TPBR

Documents



Product Drawings

REC, 9P, GRN,N, PANEL, J1939, TYPE 2

English

CAD Files

Customer View Model

ENG_CVM_CVM_HD10-9-1939P-BP03_99.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_HD10-9-1939P-BP03_99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_HD10-9-1939P-BP03_99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

DEUTSCH HD10 CONNECTOR SERIES

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English