HD14-5-16P ✓ ACTIVE

DEUTSCH | DEUTSCH HD10, DEUTSCH HD

TE Internal #: HD14-5-16P

5 Position Housing, Housing for Male Terminals, Wire-to-Wire,

Sealable, Gray, Wire & Cable, Power, Cable Mount (Free-Hanging),

Hybrid

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > DEUTSCH HD10 Housings



Number of Positions: 5

Connector & Housing Type: Housing for Male Terminals

Mating Pin Diameter: 1.6 mm [.063 in]

Connector System: Wire-to-Wire

Sealable: Yes

All DEUTSCH HD10 Housings (53)

Nominal Voltage Architecture

Body Features

Cable Exit Angle

Primary Product Color

Features

Product Type Features

| Mixed & Hybrid Connector | No |
|-----------------------------------|----------------------------|
| Connector Shape | Circular |
| Connector & Housing Type | Housing for Male Terminals |
| Connector System | Wire-to-Wire |
| Sealable | Yes |
| Primary Locking Feature | Integrated in Housing |
| Connector & Contact Terminates To | Wire & Cable |
| Configuration Features | |
| Blank Cavity Position | 0 |
| Connector Modification | Non-Threaded Rear |
| Number of Positions | 5 |
| Electrical Characteristics | |
| Operating Voltage | 250 VDC |

12 V, 24 V

180°

Gray



Contact Features

| Contact Size | Size 16 |
|------------------------------|-----------------|
| Contact Type | Pin |
| Mating Pin Diameter | 1.6 mm[.063 in] |
| Contact Current Rating (Max) | 13 A |

Mechanical Attachment

| Strain Relief | Without |
|-----------------------------|----------------------------|
| Terminal Position Assurance | No |
| Mating Alignment Type | Polarizing Rib |
| Mating Alignment | With |
| Connector Mounting Type | Cable Mount (Free-Hanging) |

Housing Features

| Housing Material | PA GF |
|------------------|-------|
|------------------|-------|

Dimensions

| Compatible Insulation Diameter Range | 2.5 – 3.8 mm[.1 – .15 in] |
|--------------------------------------|---------------------------|
| Product Width | 25.4 mm[1 in] |
| Product Length | 25.4 mm[1 in] |
| Connector Height | 41.6 mm[1.64 in] |

Usage Conditions

| Operating Temperature (Max) | 125 °C[257 °F] |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 – 125 °C[-67 – 257 °F] |

Operation/Application

Industry Standards

| IP Rating | IP68, IP6K9K |
|------------------------|------------------------------------|
| UL Flammability Rating | 20mm Flame Test per Standard UL-94 |

Packaging Features

| Packaging Quantity | 1 |
|--------------------|---------|
| Packaging Method | Package |
| Other | |

Other

| Serviceable | Yes | |
|-------------|-----|--|
| | | |



Connector Position Assurance Capable

No

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.5% in 27520126665) Decamethylcyclopentasiloxane (D5) (.5% in 27520126665) Octamethylcyclotetrasiloxane (D4) (.5% in 27520126665) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






TE Part # CAT-J67-DSCC16 **DEUTSCH Size 16 Crimp Contacts**



TE Part # 0411-291-1405 EXT TOOL, SIZE 16, 14-16 AWG, N, GRN



TE Part # HD10-5BT BOOT, 5P, PLG/REC, ST, GRY



TE Part # CAT-H3910-RC1748 Receptacle Dust Caps — DEUTSCH HD10



TE Part # CAT-D48-SFT273 DEUTSCH Stamped and Formed Contacts



TE Part # 2300908-1 0460-003-16329, PIN, SOLID, 20-24AWG, AU



TE Part # 0411-204-1605 EXT TOOL, SIZE 16, 16-18 AWG, N, **DRK BLU**



DEUTSCH Sealing Plugs



TE Part # DT-RT1 EXT TOOL, FRONT RELEASE



TE Part # CAT-D48-ST273 **DEUTSCH Solid Contacts**



TE Part # HD10-5BT-BK BOOT, 5P, PLG/REC, ST, BLK



TE Part # HD16-5-16S PLG, 5P, GRY, N, 16

Also in the Series DEUTSCH HD10



Automotive Connector Caps & Covers




Automotive Headers(1)



Automotive Housings(768)



Connector Backshells(29)



PCB Headers & Receptacles(1)



Rectangular Power Connectors(1)



Wire-to-Board Headers & Receptacles (1)

Also in the Series | DEUTSCH HD






Automotive Connector Caps & Covers (26)



Automotive Housings(768)



Other Automotive Connector Accessories(17)



PCB Headers & Receptacles(1)



Customers Also Bought




TE Part #M902-2131

BKSHL, 3SZ, CBL SZ .187-.300, HD10



TE Part #HDP24-24-19PE REC, 19P, BLK, E, 12/16, P



TE Part #HD10-5BT-BK
BOOT, 5P, PLG/REC, ST, BLK











Documents

Product Drawings REC, 5P, GRY, N, 16

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_HD14-5-16P_99_c-hd14-5-16p-99.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_HD14-5-16P_99_c-hd14-5-16p-99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_HD14-5-16P_99_c-hd14-5-16p-99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

DEUTSCH HD10 CONNECTOR SERIES

English

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications

Engineering Report

English

Agency Approvals

UL Report

English