

HD16-9-96S

✓ ACTIVE

DEUTSCH | DEUTSCH HD10, DEUTSCH HD

TE Internal #: HD16-9-96S

9 Position Housing, Housing for Female Terminals, Wire-to-Wire, Sealable, Gray, Wire & Cable, Power, Cable Mount (Free-Hanging), Hybrid

[View on TE.com >](#)



Connectors > Automotive Connectors > Automotive Housings > DEUTSCH HD10 Housings



Number of Positions: 9

Connector & Housing Type: **Housing for Female Terminals**

Mating Pin Diameter: **1.6 mm [.063 in]**

Connector System: **Wire-to-Wire**

Sealable: **Yes**

[All DEUTSCH HD10 Housings \(53\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Circular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Blank Cavity Position	0
Connector Modification	Threaded Rear
Number of Positions	9

Electrical Characteristics

--	--



Operating Voltage	250 VDC
-------------------	---------

Nominal Voltage Architecture	12 V, 24 V
------------------------------	------------

Body Features

Cable Exit Angle	180°
------------------	------

Primary Product Color	Gray
-----------------------	------

Contact Features

Contact Size	Size 16
--------------	---------

Contact Type	Socket
--------------	--------

Mating Pin Diameter	1.6 mm[.063 in]
---------------------	-----------------

Contact Current Rating (Max)	13 A
------------------------------	------

Mechanical Attachment

Strain Relief	Without
---------------	---------

Terminal Position Assurance	No
-----------------------------	----

Mating Alignment Type	Polarizing Rib
-----------------------	----------------

Mating Alignment	With
------------------	------

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features

Housing Material	PA GF
------------------	-------

Dimensions

Compatible Insulation Diameter Range	2.5 – 3.8 mm[.1 – .15 in]
--------------------------------------	---------------------------

Product Width	40.5 mm[1.59 in]
---------------	------------------

Product Length	40.5 mm[1.59 in]
----------------	------------------

Connector Height	41.5 mm[1.63 in]
------------------	------------------

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
-----------------------------	----------------

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

IP Rating	IP68, IP6K9K
-----------	--------------

UL Flammability Rating	20mm Flame Test per Standard UL-94
------------------------	------------------------------------

Packaging Features



Packaging Quantity	1
Packaging Method	Package
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.5% in 27519511676) Decamethylcyclopentasiloxane (D5) (.5% in 27519511676) Octamethylcyclotetrasiloxane (D4) (.5% in 27519511676) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 0411-204-1605
EXT TOOL, SIZE 16, 16-18 AWG, N, DRK BLU

TE Part # CAT-D48-SP729
DEUTSCH Sealing Plugs

TE Part # HD10-9BT
BOOT, 9P, PLG/REC, ST, GRY

TE Part # HD10-9BT-BK-430
BOOT, 9P, PLG/REC, ST, BLK

TE Part # DT-RT1
EXT TOOL, FRONT RELEASE

TE Part # 0411-291-1405
EXT TOOL, SIZE 16, 14-16 AWG, N, GRN

TE Part # CAT-H3910-B128
DEUTSCH HD10 Backshells

TE Part # CAT-H3910-CH8172
DEUTSCH HD10 Housings

TE Part # HD10-9BT-BK
BOOT, 9P, PLG/REC, ST, BLK

TE Part # HD10-9-96P-N005
HDR, 9P, BLK, N, ST, SN/NI. 16

TE Part # CAT-H3910-PC1748
DEUTSCH HD10 PLUG DUST CAPS

Also in the Series | **DEUTSCH HD10**

Automotive Connector Caps & Covers (26)

Automotive Headers(1)

Automotive Housings(768)

Connector Backshells(29)

PCB Headers & Receptacles(1)

Rectangular Power Connectors(1)

Wire-to-Board Headers & Receptacles (1)

Also in the Series | **DEUTSCH HD**



Automotive Headers(1)



Automotive Housings(768)



Connector Seals & Cavity Plugs(10)




Connector Strain Relief(5)




Insertion & Extraction Tools(11)



Other Automotive Connector Accessories(17)



PCB Headers & Receptacles(1)



Wire-to-Board Headers & Receptacles (1)

Customers Also Bought



TE Part #1825097-4
TPB11CGRA204



TE Part #CAT-H3910-CH8172
DEUTSCH HD10 Housings



TE Part #3-1437572-3
TPC23M0=SW P/B NOR-OPEN



TE Part #CAT-H3910-B128
DEUTSCH HD10 Backshells



TE Part #5745132-2
HD-20 RCPT 25P RA 318



TE Part #1-207158-1
METRIMATE PIN HDR ASY,6P LF

Documents

Product Drawings
PLG, 9P, GRY, N, THRD, 16
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_HD16-9-96S_99_c-hd16-9-96s-99.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_HD16-9-96S_99_c-hd16-9-96s-99.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_HD16-9-96S_99_c-hd16-9-96s-99.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DEUTSCH HD10 CONNECTOR SERIES](#)

English

[ICT Terminals and Connectors Catalogue](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Engineering Report](#)

English

Agency Approvals

[UL Report](#)

English