



Switches > Toggle Switches > Toggle Switch 1-Pole, Sealed, Lever, Toggle



Contact Current Rating: 15 A

Configuration (Pole-Throw): Single Pole - Single Throw

Operating Function: Off On

Number of Positions: 2

Operating Voltage: 28 VDC

[All Toggle Switch 1-Pole, Sealed, Lever, Toggle \(43\)](#)

Features

Product Type Features

Sealed Device	Yes
Switch Connection Type	Quick Connect Terminal
Toggle Style	Lever
Switch Type	Toggle Switch

Configuration Features

Configuration (Pole-Throw)	Single Pole - Single Throw
Operating Function	Off On
Number of Positions	2

Electrical Characteristics

Contact Current Rating	15 A
Operating Voltage	115 VAC

Body Features

Actuator Finish	Thermoplastic
Product Orientation	Horizontal
Bushing Style	Threaded
Bushing Thread Size	M12 x .75



Contact Features

Contact Base Material	Copper
Switch Contact Plating Material	Silver Tin Oxide

Mechanical Attachment

Product Mount Type	Panel Mount
--------------------	-------------

Housing Features

Process Sealed	Yes
----------------	-----

Operation/Application

Keyway Toggle Actuation Position	1-2 (Momentary)
Opposite Keyway Toggle Position	1-2 (Momentary), 4-6
Center Toggle Position	None

Industry Standards

IP Rating	IP6K5
-----------	-------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (3.3% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # K2015512
Toggle Switch 07-1-1-10



TE Part # K1002975
Toggle Switch 07-1-2-13


Also in the Series | KISSLING Series 07



Other Automotive Connector
Accessories(1)



Switch Seals & Accessories(7)



Toggle Switches(98)

Customers Also Bought




TE Part #0462-203-08141
SOC, SOLID, SIZE 8, 8-10AWG, NI



TE Part #62048-1
250 FASTON REC 18-14 AWG BR



TE Part #2402048-1
INLET HSG, CCS1 ASSY, WITH LED



TE Part #282526-7
20P 070 MLK CAP HEAD ASSY




TE Part #4-794680-2
12P MICRO MNL ASSY,VRT,THRU LF



TE Part #K1127139
Switch guard 07-0-0-30



TE Part #2388502-3
CHARGE INLET, COMBO 2, LED, 90 DEGREE



TE Part #282109-3
MINI MIC TAB CONTACT



Documents

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_07-1-2-12_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_07-1-2-12_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_07-1-2-12_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[KISSLING TOGGLE SWITCH Series 07](#)

English