



Relays & Contactors > Electromechanical Relays > Power Relay, 75A, Standard, Monostable, DC



Relay & Contactor Type: **General Purpose Power Relay**

Current Type: **DC**

Coil Magnetic System: **Monostable**

Contact Arrangement: **1 Form X SPST-NO-DM**

Contact Current Rating: **75 A**

[All Power Relay, 75A, Standard, Monostable, DC \(19\)](#)

Features

Product Type Features

Relay & Contactor Type	General Purpose Power Relay
------------------------	-----------------------------

Configuration Features

Coil Special Features	Coil Suppression Diode
Contact Number of Poles	1
Contact Arrangement	1 Form X SPST-NO-DM

Electrical Characteristics

Coil Resistance	19 Ω
Contact Current Rating	75 A
Coil Voltage Rating	9 VDC, 16 VDC
Contact Voltage Rating	12 VDC
Coil Power Rating DC	8 W

Contact Features

Contact Material	Silver Alloy
------------------	--------------

Mechanical Attachment

Product Mounting Feature Type	Mounting Brackets
-------------------------------	-------------------



Product Mount Type

Chassis Mount

Dimensions

Product Width	62 mm[2.44 in]
Product Length	62 mm[2.44 in]
Product Height	50 mm[1.96 in]

Operation/Application

Current Type	DC
Coil Magnetic System	Monostable

Packaging Features

Packaging Method	Carton
------------------	--------

Other

Contact Current Class	75 A
-----------------------	------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (93.2% in 17071202736) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CAT-AL6-KSPR2975
Power Relay, 75A, Standard,
Monostable, DC

Also in the Series | KISSLING Series 29

DC Relays(123)

Electromechanical Relays(123)

Customers Also Bought

TE Part #K1159062
Toggle Switch 07-2-2-13 D 936

TE Part #K1010834
Relay 29-211-11

TE Part #6-2176381-7
RQ 0805 60K4 0.1% 10PPM 5K RL

TE Part #K1060487
Relay 29-111-11

TE Part #7-1393246-2
W23-X1A1G-35=W23/W31

TE Part #346656-000
S01-04-R

TE Part #G-NICO-001
NI 1000 DIN 43760 KLB SOT23

TE Part #521368-2
ULTRA-POD 250 ASSY REC 22-18
AWG TPBR



Documents

Product Drawings

Relay 29-011-11

English

Relay 29-011-11

German

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_29-011-11_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_29-011-11_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_29-011-11_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

KISSLING SINGLE POLE POWER RELAYS Series 29 / 75A

English