



Switches > Rotary Switches > Rotary Switch, Socket, Short Handle Selector, Sealed



Number of Positions: 1
Actuator Style: **Short Handle Selector**
Number of Decks: 1
Actuator Color: **Yellow**
Rotary Switch Type: **Selector**

[All Rotary Switch, Socket, Short Handle Selector, Sealed \(7\)](#)

Features

Product Type Features

Switch Connection Type	DIN Connector
Actuator Style	Short Handle Selector
Rotary Switch Type	Selector
Sealed Device	Yes

Configuration Features

Number of Positions	1
Number of Decks	1
Number of Switches	1
Operating Function	Change Over 1 Pole, Maintained

Electrical Characteristics

Contact Current Rating	5 A
Operating Voltage	32 VDC

Body Features

Actuator Color	Yellow
Case Material	Thermoplastic
Product Orientation	Vertical



Contact Features

Contact Base Material	Silver Alloy
-----------------------	--------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (3% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # K1149334
Rotary Switch DS-111-GN1




TE Part # CAT-AL8-KSDRSC
Rotary Switch, Center Thread, Short Handle Selector, Sealed

Also in the Series | KISSLING Series DS



Rotary Switches(23)

Customers Also Bought



TE Part #1-966067-0
FER,WIRE,PL SLV,1.00/18,L10,RED,LP




TE Part #1SNA115657R2500
M4/8.SF



TE Part #1-1564528-1
16POS, MIXED,TAB HSG,ASSY



TE Part #1011-255-0205
BKSHL, 2P, BLK, PLG,ST,SR,NW6/7.5/8.5/10




TE Part #1-967640-1
4POS MQS REC COD A



TE Part #CAT-T4827-T273
TIMER, RECEPTACLE AND TAB



TE Part #1241394-1
AMP MCP 2.8K, CONTACT, SWS



TE Part #966067-3
FER,WIRE,PL SLV,,50/20,L10,WHITE,LP



TE Part #K1013135
Angle Connection Typ 26-56-52

Documents

Product Drawings

Rotary Switch DS-111-GE1

German

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_DS-111-GE1_A.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_DS-111-GE1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_DS-111-GE1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[KISSLING ROTARY SWITCH Series DS](#)

English