

TE Internal #: L9000032-01 Terminal/Duck Antenna, Single Band, Bluetooth / ISM / Zigbee, External Mount, Stud/Screw/Lug Mount, SMA, Omnidirectional, Single Port

View on TE.com >





Antenna Type: Terminal/Duck Band Type: Single Band Primary Application: Bluetooth, ISM, Zigbee Wireless Application: Bluetooth, ISM, Zigbee Mounting Location: External

Features

Product Type Features

Configuration Features	
Antenna Product Type	Antenna
Antenna Termination	SMA



Antenna Style	Whip
Antenna Type	Terminal/Duck
Band Type	Single Band
Mounting Location	External
Port Configuration	Single Port
Electrical Characteristics	
Impedance	50 Ω
VSWR (Max)	<1.9:1
Signal Characteristics	
Frequency Band	2400 – 2485 MHz
Gain (Max)	2.2 dB
Frequency Category	2400 – 2500
Peak Gain	0 < 3 dBi
Body Features	
Product Weight	10.75 g[.37918 oz]

ANT-2.4-CW-RCT-SS

Terminal/Duck Antenna, Single Band, Bluetooth / ISM / Zigbee, External Mount, Stud /Screw/Lug Mount, SMA, Omnidirectional, Single Port



Mechanical Attachment

Polarization	Linear
Mounting Type	Stud/Screw/Lug Mount
Dimensions	
Product Width	10 mm[.39 in]
Product Length	113 mm[4.45 in]
Product Height	0 mm[0 in]
Operation/Application	
Antenna Environment	Outdoor
Directionality	Omnidirectional
Industry Standards	
Primary Application	Bluetooth, ISM, Zigbee
Wireless Application	Bluetooth, ISM, Zigbee

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant with Exemptions

EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (3.42% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part

ANT-2.4-CW-RCT-SS

Terminal/Duck Antenna, Single Band, Bluetooth / ISM / Zigbee, External Mount, Stud /Screw/Lug Mount, SMA, Omnidirectional, Single Port



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.


Compatible Parts



RP-SMA RA Jack 50 Ohm PCB Surface Mount

Mount

Customers Also Bought



ANT-2.4-CW-RCT-SS

Terminal/Duck Antenna, Single Band, Bluetooth / ISM / Zigbee, External Mount, Stud /Screw/Lug Mount, SMA, Omnidirectional, Single Port



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_L9000032-01_A.2d_dxf.zip

English

Customer View Model ENG_CVM_CVM_L9000032-01_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_L9000032-01_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages ANT-2.4-CW-RCT-xx

English