

TE Internal #: L9000079-01

Helical Antenna, Single Band, Bluetooth / ISM / Zigbee, Internal

/Embedded Mount, Through-Hole/Tab Mount, Solder,

Omnidirectional, Single Port

View on TE.com >



Antennas











Antenna Type: Helical
Band Type: Single Band

Primary Application: Bluetooth, ISM, Zigbee
Wireless Application: Bluetooth, ISM, Zigbee
Mounting Location: Internal/Embedded

Features

Product Type Features

	Antenna Termination	Solder
	Antenna Product Type	Antenna
Configuration Features		

Antenna Style Antenna Type Helical Band Type Single Band Mounting Location Internal/Embedded Port Configuration Single Port

Electrical Characteristics

Impedance	50 Ω
VSWR (Max)	<2.1:1

Signal Characteristics

Frequency Band	2400 – 2485 MHz
Gain (Max)	3.3 dB



Frequency Category	350 – 520
Peak Gain	3 < 6 dBi
Body Features	
Product Weight	.44 g[.01552 oz]
Mechanical Attachment	
Polarization	Linear
Mounting Type	Through-Hole/Tab Mount
Dimensions	
Product Width	7 mm[.28 in]
Product Length	14.5 mm[.57 in]
Product Height	0 mm[0 in]
Operation/Application	
Directionality	Omnidirectional
Industry Standards	
Primary Application	Bluetooth, ISM, Zigbee

Product Compliance

Wireless Application

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Bluetooth, ISM, Zigbee

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU. (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts







Customers Also Bought























Documents

Product Drawings

Antenna Mini R-Angle 2.4GHz THM

English

CAD Files

Customer View Model

ENG_CVM_CVM_L9000079-01_A.3d_stp.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_L9000079-01_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_L9000079-01_A.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

ANT-2.4-JJB-xx

English