

TE Internal #: L9000100-01

Terminal/Duck Antenna, Single Band, Bluetooth / ISM / Zigbee, External Mount, Stud/Screw/Lug Mount, Solder, Omnidirectional,

Single Port

View on TE.com >



Antennas



Antenna Type: Terminal/Duck

Band Type: Single Band

Primary Application: Bluetooth, ISM, Zigbee
Wireless Application: Bluetooth, ISM, Zigbee

Mounting Location: External

Features

Product Type Features

Antenna Termination	Solder
Antenna Product Type	Antenna
Configuration Features	

Antenna Style	Whip
Antenna Type	Terminal/Duck
Band Type	Single Band
Mounting Location	External
Port Configuration	Single Port

Electrical Characteristics

Impedance	50 Ω
VSWR (Max)	<1.9:1

Signal Characteristics

Frequency Band	2400 – 2485 MHz
Gain (Max)	1.6 dB
Frequency Category	2400 – 2500
Peak Gain	0 < 3 dBi

Body Features

Product Weight	18.73 g[.66067 oz]
Troduct Worgitt	10.70 9[.00007 02]



			A	t and the second
Med	hani	cal	Attac	hment

Mechanical Attachment	
Polarization	Linear
Mounting Type	Stud/Screw/Lug Mount
Dimensions	
Product Width	14.5 mm[.57 in]
Product Length	105 mm[4.13 in]
Product Height	0 mm[0 in]
Cable Length	.21 m[.71 ft]
Operation/Application	
Antenna Environment	Outdoor
Directionality	Omnidirectional
Industry Standards	

Bluetooth, ISM, Zigbee

Bluetooth, ISM, Zigbee

Product Compliance

Primary Application

Wireless Application

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the



product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts





Customers Also Bought

















Documents

Product Drawings

Antenna 1/2 Wave Whip 2.4GHz RG174

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_L9000100-01_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_L9000100-01_C.3d_igs.zip

Terminal/Duck Antenna, Single Band, Bluetooth / ISM / Zigbee, External Mount, Stud /Screw/Lug Mount, Solder, Omnidirectional, Single Port



English

Customer View Model

ENG_CVM_CVM_L9000100-01_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

ANT-2.4-PW-QW-xxx

English