

TE Internal #: L9000150-01 Terminal/Duck Antenna, Single Band, LPWAN / LoRaWAN, Remote Mount, Pole/Mast/Bracket Mount, RP-SMA, Omnidirectional, Single Port, 0 < 3 dBi Peak Gain

View on TE.com >

Antennas

Antenna Type: Terminal/Duck Band Type: Single Band Primary Application: LoRaWAN, LPWAN Wireless Application: LoRaWAN, LPWAN, Wi-Fi Mounting Location: Remote

Features

Product Type Features

Configuration Features	
Antenna Product Type	Antenna
Antenna Termination	RP-SMA



Antenna Style	Dipole
Antenna Type	Terminal/Duck
Band Type	Single Band
Mounting Location	Remote
Port Configuration	Single Port
Electrical Characteristics	
Impedance	50 Ω
VSWR (Max)	<1.9:1
Signal Characteristics	
Frequency Band	868 MHz
Frequency Category	862 - 870
Peak Gain	0 < 3 dBi
Mechanical Attachment	
Polarization	Linear
Mounting Type	Pole/Mast/Bracket Mount

C For support call+1 800 522 6752

ANT-868-ID-2000-RPS

Terminal/Duck Antenna, Single Band, LPWAN / LoRaWAN, Remote Mount, Pole/Mast /Bracket Mount, RP-SMA, Omnidirectional, Single Port, 0 < 3 dBi Peak Gain



Dimensions

Product Width	31.2 mm[1.23 in]
Product Length	124.6 mm[4.91 in]
Product Height	11.9 mm[.47 in]
Cable Length	2 m[6.56 ft]
Operation/Application	
Directionality	Omnidirectional
Industry Standards	
Primary Application	LoRaWAN, LPWAN
Wireless Application	LoRaWAN, LPWAN, Wi-Fi
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)

(247) Not Yet Reviewed

Not Yet Reviewed for halogen content

Halogen Content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

ANT-868-ID-2000-RPS

Terminal/Duck Antenna, Single Band, LPWAN / LoRaWAN, Remote Mount, Pole/Mast /Bracket Mount, RP-SMA, Omnidirectional, Single Port, 0 < 3 dBi Peak Gain





Documents

Product Drawings

ANTENNA IND DIPOLE 868MHZ RG58 2M SMA

English

CAD Files

Customer View Model

ENG_CVM_CVM_L9000150-01_A.3d_stp.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_L9000150-01_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_L9000150-01_A.3d_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages ANT-868-ID

English