ANT-DB1-WRT-MON-RPS <

TE Internal #: L9000167-01 Dome/Puck Antenna, Dual Band, Wi-Fi, External Mount, Stud/Screw /Lug Mount, RP-SMA, Omnidirectional, Single Port, 0 < 3 dBi Peak Gain

View on TE.com >



Antenna Type: Dome/Puck

Band Type: Dual Band

Primary Application: Wi-Fi

Wireless Application: Wi-Fi

Mounting Location: External

Features

Product Type Features

Antenna Termination	RP-SMA
Antenna Product Type	Antenna
Configuration Features	



Antenna Style	Dome
Antenna Type	Dome/Puck
Band Type	Dual Band
Mounting Location	External
Port Configuration	Single Port
Electrical Characteristics	
Impedance	50 Ω
VSWR (Max)	<2.1:1
Signal Characteristics	
Frequency Band	2400 – 2485 MHz
Gain (Max)	1 dB
Frequency Category	2400 – 2500
Peak Gain	0 < 3 dBi
Mechanical Attachment	
Polarization	Linear

C For support call+1 800 522 6752

ANT-DB1-WRT-MON-RPS

Dome/Puck Antenna, Dual Band, Wi-Fi, External Mount, Stud/Screw/Lug Mount, RP-SMA, Omnidirectional, Single Port, 0 < 3 dBi Peak Gain



Mounting Type	Stud/Screw/Lug Mount
Dimensions	
Product Width	19 mm[.75 in]
Product Length	26.8 mm[1.06 in]
Product Height	0 mm[0 in]
Cable Length	.21 m[.71 ft]
Operation/Application	
Antenna Environment	Outdoor
Directionality	Omnidirectional
Industry Standards	
Primary Application	Wi-Fi
Wireless Application	Wi-Fi
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

EU ELV Directive 2000/53/EC

Not reviewed for solder process capability

Not Yet Reviewed

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An

ANT-DB1-WRT-MON-RPS

Dome/Puck Antenna, Dual Band, Wi-Fi, External Mount, Stud/Screw/Lug Mount, RP-SMA, Omnidirectional, Single Port, 0 < 3 dBi Peak Gain



Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # L000917-01 Antenna 2.45GHz WRT Monopole .5M RPS



TE Part # L9000254-01 RP-SMA Jack 50 Ohm .031 PCB Edge Mount




TE Part # CONREVSMA002-SMD-G RP-SMA RA Jack 50 Ohm PCB Surface Mount



TE Part # CONREVSMA001-G RP-SMA Jack 50 Ohm PCB Through Hole



Customers Also Bought



ANT-DB1-WRT-MON-RPS

Dome/Puck Antenna, Dual Band, Wi-Fi, External Mount, Stud/Screw/Lug Mount, RP-SMA, Omnidirectional, Single Port, 0 < 3 dBi Peak Gain





Documents

Product Drawings

Antenna 2.45/5.8GHz WRT Monopole RPS

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_L9000167-01_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_L9000167-01_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_L9000167-01_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Dual-Band WiFi External Panel-Mount Antenna

English