ANT-LTE-HDP-2000-SMA <

TE Internal #: L9000174-01 Module Antenna, Wide Band, Cellular / LTE, Remote Mount, Adhesive Mount, SMA, Omnidirectional, Single Port, > 6 dBi Peak Gain

View on TE.com >

Antennas



Antenna Type: Module Band Type: Wide Band Primary Application: Cellular, LTE Wireless Application: Cat-M/NB-IoT, Cellular, LTE Mounting Location: Remote

Features

Product Type Features

Configuration Features	
Antenna Product Type	Antenna
Antenna Termination	SMA



Antenna Style	Whip
Antenna Type	Module
Band Type	Wide Band
Mounting Location	Remote
Port Configuration	Single Port
Electrical Characteristics	
Impedance	50 Ω
VSWR (Max)	<1.8:1
Signal Characteristics	
Frequency Band	698 – 960 MHz
Gain (Max)	3.5 dB
Frequency Category	617 – 6000
Peak Gain	> 6 dBi
Body Features	
Product Weight	42 g[1.48148 oz]

ANT-LTE-HDP-2000-SMA

Module Antenna, Wide Band, Cellular / LTE, Remote Mount, Adhesive Mount, SMA, Omnidirectional, Single Port, > 6 dBi Peak Gain



Mechanical Attachment

Polarization	Linear
Mounting Type	Adhesive Mount
Dimensions	
Product Width	17 mm[.67 in]
Product Length	104 mm[4.09 in]
Product Height	4.2 mm[.17 in]
Cable Length	2 m[6.56 ft]
Operation/Application	
Directionality	Omnidirectional
Industry Standards	
IP Rating	IP67
Primary Application	Cellular, LTE
Wireless Application	Cat-M/NB-IoT, Cellular, LTE

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous


ANT-LTE-HDP-2000-SMA

Module Antenna, Wide Band, Cellular / LTE, Remote Mount, Adhesive Mount, SMA, Omnidirectional, Single Port, > 6 dBi Peak Gain



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.


Compatible Parts





TE Part # CONSMA001 SMA Jack 50 Ohm PCB Through Hole

Customers Also Bought



ANT-LTE-HDP-2000-SMA

Module Antenna, Wide Band, Cellular / LTE, Remote Mount, Adhesive Mount, SMA, Omnidirectional, Single Port, > 6 dBi Peak Gain





Documents

Product Drawings

Antenna Horiz 1/2 Wave Dipole LTE 2M SMA

English

CAD Files

Customer View Model ENG_CVM_CVM_L9000174-01_A.3d_stp.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_L9000174-01_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_L9000174-01_A.3d_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages HDP PRODUCT DATA SHEET

English