# OTX-ACC-LSH-8.5 <

TE Internal #: L9000316-01 Pull Loop, Nylon 66, Black, 0 Position, UL 94HB View on TE.com >



Connectors > Connector Accessories > Connector Strain Relief



Strain Relief Accessory Type: Pull Loop Primary Product Material: Nylon 66 Primary Product Color: Black Shielded: No

Number of Positions: 0

## Features

## **Product Type Features**

Strain Relief Accessory Type	Pull Loop
Sealable	No
Configuration Features	
Number of Positions	0

## **Body Features**

Primary Product Material	Nylon 66
Primary Product Color	Black
Usage Conditions	
Operating Temperature Range	0 – 55 °C[32 – 131 °F]
Operation/Application	
Shielded	No
Industry Standards	
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Method	Bag
Packaging Quantity	1

## Product Compliance

For compliance documentation, visit the product page on TE.com>

Pull Loop, Nylon 66, Black, 0 Position, UL 94HB




EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## **Compatible Parts**




Customers Also Bought

## OTX-ACC-LSH-8.5

### Pull Loop, Nylon 66, Black, 0 Position, UL 94HB





## Documents

Product Drawings HH Handheld Accessory 8.5" Leash Clip

English

Datasheets & Catalog Pages OTX-ACC

English