NB-PTCO-058 ACTIVE

MEAS | MEAS PTF TE Internal #: NB-PTCO-058 TE Internal Description: Pt100, 2.0x2.3, Class T, PTFC101T1G0 Pt100 RTD Thin Film Element

View on TE.com >



Sensors > Temperature Sensors > RTD Sensors > RTD Sensor Elements > Pt100 RTD Thin Film Element



RTD Element Type: Platinum Thin Film Temperature Element

Tolerance Class: Class T (AA) / F0.1

Element Type: Ceramic

Element Material: Platinum

Lead Wire Style: Ni/Au

All Pt100 RTD Thin Film Element (26)

Features

Product Type Features

Wire/Cladding Type

Ni/Au

RTD Element Type

Platinum Thin Film Temperature Element

RID Element Type	Platinum Thin Film Temperature Element					
Element Type	Ceramic					
Element Material	Platinum					
Lead Wire Style	Ni/Au					
Configuration Features						
Electrical Connection	Open Ends					
Mechanical Attachment						
Wire Length	10 mm[.393 in]					
Dimensions						
Body Width	2 mm[.078 in]					
Body Length	2.3 mm[.09 in]					
Body Height	1.1 mm[.043 in]					
Wire Diameter	.25 mm[.009 in]					
Usage Conditions	Usage Conditions					
T1 and T2 for TCR	0 and +100 °C					



Operating Temperature Range	-30 – 200 °C[-22 – 392 °F]
Accuracy (at T_ref)	±.1 °C
TCR at (T1 and T2)	3850 ppm/°C
Operating Temperature (Max)	200 °C[392 °F]
Other	
Wire Count	2
Tolerance Class	Class T (AA) / F0.1
Product Compliance	
Product Compliance For compliance documentation, visit the product page on TE.com>	
•	Compliant
For compliance documentation, visit the product page on TE.com>	Compliant Not Yet Reviewed
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Not Yet Reviewed

homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts

Pt100, 2.0x2.3, Class T, PTFC101T1G0






Also in the Series | MEAS PTF




Customers Also Bought



	= TE			
TE Part #1825057-6 ADE0704=DIP SWITCH,EXT,THRU/HL	TE Part #2484782-1 SMA Jack RA PCB Thru Hole 18 GHz 50 Ohm	TE Part #1-1437664-1 NC6-P107-08=NC6 ASSEMBLY	TE Part #5745189-1 37 RCPT SP/MS STD	





NB-PTCO-058

Pt100, 2.0x2.3, Class T, PTFC101T1G0



Documents

CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_NB-PTCO-058_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_NB-PTCO-058_A.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_NB-PTCO-058_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Datasheet PTF-Family PTFC, PTFD, PTFF, PTFM

English