



Connectors > Connector Accessories > Connector Backshells



Connector Backshell Product Type: **Backshell**

Body Orientation: **180**

Sealable: **No**

Operating Temperature Range: **-55 – 125 °C [-67 – 257 °F]**

Features

Product Type Features

Connector Backshell Product Type	Backshell
Sealable	No

Body Features

Cable Exit Angle	180°
Primary Product Color	Black

Housing Features

Body Orientation	180
------------------	-----

Dimensions

Compatible Cable Diameter Range	17 – 22 mm [.669 – .866 in]
---------------------------------	-----------------------------

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Industry Standards

IP Rating	IP6K9K
UL Flammability Rating	UL 94HB

Packaging Features



Packaging Method	Box
------------------	-----

Other

Serviceable	Yes
-------------	-----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # DT-RT1
EXT TOOL, FRONT RELEASE



TE Part # CAT-ST858-CH8172
DEUTSCH Strike Housings



TE Part # SRK-BS-MD-ST-002
BKSHL, MED, BLK, ST, NW 22


Customers Also Bought



TE Part #CAT-ST858-CH8172
DEUTSCH Strike Housings



TE Part #HDB36-24-21SN-059
BR AWY PL ASM,MC



TE Part #344069-1
.250" SPEC. F.TAB.(PLATED)



TE Part #DT06-2S-FP02
PLG, 2P, BLK, N, FLOURO SEAL RET, CAP



TE Part #1969614-4
4P RCPT VAL-U-LOK V0



TE Part #1028-017-0005
ADPTR, BKSHL, 6,8P, BLK, RA, NW 10 /13



TE Part #2500033-1
SRC Power Blind Cavity Plug

Documents

Product Drawings

BKSHL, MED, BLK, ST, NW 17/22

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_SRK-BS-MD-ST-001_99_c-srk-bs-md-st-001-99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_SRK-BS-MD-ST-001_99_c-srk-bs-md-st-001-99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_SRK-BS-MD-ST-001_99_c-srk-bs-md-st-001-99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

TERMINALS AND CONNECTORS

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

