



Terminals & Splices > Automotive Terminals



Terminal Type: **Pin**
Wire Size: **2 AWG**
Interface Plating: **Silver (Ag)**
Primary Locking Feature: **Clean Body**
Sealable: **Yes**

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Clean Body
Sealable	Yes

Body Features

Terminal Seal Type	Single Wire Seal (SWS)
--------------------	------------------------

Contact Features

Typical Current Rating	125 A
Crimp Type	Hexagonal Crimping
Contact Size	8mm
Contact Fabrication	Solid
Wire Contact Termination Area Plating Material	Silver
Terminal Type	Pin
Interface Plating	Silver (Ag)
Mating Pin Diameter	8 mm[.315 in]



Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Wire Size	2 AWG
Wire Size Search	2 AWG

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Compatible With Agency/Standards Products	NFC 20.130
---	------------

Packaging Features

Packaging Method	Pack
Packaging Quantity	300

Other

Customer Preferred Contact	Yes
Terminal Transmits	100+ A (Very High Power)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free



Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # SRK-SC-080-25-601 SOC, SOLID, SIZE M8, 25mm2, AG	 TE Part # 2289242-1 WS-32-001, SEAL, RED, 9.49-10.52, DTSK	 TE Part # SRK-PC-080-25-601 PIN, SOLID, SIZE M8, 25mm2, AG	 TE Part # DTSK04-1-08PA RECEPTACLE, INLINE, KEY A
 TE Part # DTSK04-1-08PB RECEPTACLE, INLINE, KEY B	 TE Part # SRK-PC-080-35-601 PIN, SOLID, SIZE M8, 35mm2, AG	 TE Part # DTSK04-1-08PC RECEPTACLE, INLINE, KEY C	 TE Part # SRK-SC-080-32-601 SOC, SOLID, SIZE M8, 32mm2, AG

Also in the Series | DEUTSCH DTSK

 Automotive Housings(6)	 Automotive Terminals(6)	 Connector Seals & Cavity Plugs(3)	 Insertion & Extraction Tools(1)
---	---	--	--



Other Automotive Connector Accessories(1)

Customers Also Bought



TE Part #184032-1
3 POS. PLUG ASSY, KEY A



TE Part #DTHD06-1-4S-E003
PLG, 1P, BLK, N, SIZE 4, CAP



TE Part #776539-1
AS16,CAP ASSY,ST,12P,E SEAL,CODE A



TE Part #HDP26-18-8SN
PLG, 8P, BLK, N, 12, S




TE Part #SRK-SC-080-32-601
SOC, SOLID, SIZE M8, 32mm2, AG



TE Part #2289235-1
DTSKF-1, DTSK FLANGE MOUNT




TE Part #SRK-SC-080-35-601
SOC, SOLID, SIZE M8, 35mm2, AG



TE Part #YHVA630-2PHM-6MM-A
HVA630-2phm,6sqmm,Key A



TE Part #1-2141263-4
SHIELD CRIMP FERRULE,OUTSIDE



TE Part #4062-006-04141
SOC, SOLID, SIZE 4, 4AWG, NI

Documents

Product Drawings

PIN, SOLID, SIZE M8, 32mm2, AG

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_SRK-PC-080-32-601_B.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_SRK-PC-080-32-601_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_SRK-PC-080-32-601_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DEUTSCH DTSK Connectors Series Brief](#)

English

[DEUTSCH DTSK Components Infographic](#)

English

Product Specifications

[Application Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English