



Connectors > Rectangular Connectors > Rectangular Contact Inserts



Rectangular Connector Insert Type: **Insert for Contacts**

Contact Type: **Pin**

Pole Configuration: **64+PE**

Termination Method to Wire & Cable: **Crimp Terminal**

Number of Positions: **64**

Features

Product Type Features

|                                   |                     |
|-----------------------------------|---------------------|
| Rectangular Connector Insert Type | Insert for Contacts |
| Sealable                          | No                  |

Configuration Features

|                     |    |
|---------------------|----|
| Number of Positions | 64 |
|---------------------|----|

Contact Features

|                              |       |
|------------------------------|-------|
| Contact Type                 | Pin   |
| Pole Configuration           | 64+PE |
| Contact Current Rating (Max) | 10 A  |

Termination Features

|                                    |                |
|------------------------------------|----------------|
| Termination Method to Wire & Cable | Crimp Terminal |
|------------------------------------|----------------|

Dimensions


|           |             |
|-----------|-------------|
| Wire Size | 26 – 14 AWG |
|-----------|-------------|

Operation/Application

|                     |                |
|---------------------|----------------|
| Circuit Application | Power & Signal |
|---------------------|----------------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)





|                                               |                                                                                                                               |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                     |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                     |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                       |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025 (247)<br>Candidate List Declared Against: JAN 2025 (247)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free                                    |
| Solder Process Capability                     | Not reviewed for solder process capability                                                                                    |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # T2020021008-000  
DDM-T-0.75

TE Part # T2020021015-000  
DDM-T-1.5

TE Part # T2020001025-000  
CDM-2.5

TE Part # T2020021010-000  
DDM-T-1.0

TE Part # T2020642201-000  
HD-064-F

TE Part # T2020011008-000  
DDM-0.75

TE Part # T2020011015-000  
DDM-1.5

TE Part # T2020011025-000  
DDM-2.5





TE Part # T2020021025-000  
DDM-T-2.5



TE Part # T2020011005-000  
DDM-0.5



TE Part # T2020021005-000  
DDM-T-0.5



TE Part # T2020021002-000  
DDM-T-0.3



TE Part # T1210240132-000  
H24B-TS-M32



TE Part # T2020011010-000  
DDM-1.0



TE Part # T2020011002-000  
DDM-0.3


Also in the Series | **HDC HD**




Connector Contacts(24)



Insertion & Extraction Tools(5)




Power Contacts(24)



Rectangular Contact Inserts(40)

Customers Also Bought



TE Part #T2111032301-000  
HMN-PA3




TE Part #T2010322201-000  
HA-016-F 17-32



TE Part #T2010162201-000  
HA-016-F



TE Part #T2030722201-000  
HDD-072-F



TE Part #CAT-H3399-H648  
HDC HMN Modular System, Rail Compliant



TE Part #T2030242101-000  
HDD-024-M



TE Part #T2030422201-000  
HDD-042-F



TE Part #T2010322101-000  
HA-016-M 17-32



Documents

Product Drawings

HD-064-M

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_T2020642101-000\_B.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_T2020642101-000\_B.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_T2020642101-000\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Heavy Duty Connectors

English

HEAVY DUTY CONNECTORS

English

HEAVY DUTY CONNECTORS

Japanese

Product Specifications

Application Specification

English

Agency Approvals

Agency Approval Document

English